

Appendix. Field Hydraulic Conductivity Results from 1990 and 2011 Tests

Champaign Former Manufactured Gas Plant Site  
Champaign, Illinois


Monitoring Well	Test Date (month/year)	Analytical Solution <sup>1</sup>	Number of Field Tests	Hydraulic Conductivity (cm/sec)
UMW-102	Dec-90	Bouwer-Rice (Unconfined)	Slug In Test 1	6.94E-05
UMW-102	Dec-90	Bouwer-Rice (Unconfined)	Slug Out Test 1	4.99E-05
UMW-102	Dec-90	Bouwer-Rice (Unconfined)	Slug In Test 2	3.51E-05
UMW-102	Dec-90	Bouwer-Rice (Unconfined)	Slug Out Test 2	5.64E-05
<b>Geometric Mean</b>				<b>5.13E-05</b>
UMW-102	Jun-11	KGS Model w/ Skin (Unconfined)	Slug In (Test 1)	4.48E-05
UMW-102	Jun-11	Bouwer-Rice (Unconfined)	Slug In (Test 1)	4.05E-05
<b>Geometric Mean</b>				<b>4.26E-05</b>
UMW-104	Dec-90	Bouwer-Rice (Unconfined)	Slug In Test 1	1.92E-04
UMW-104	Dec-90	Bouwer-Rice (Unconfined)	Slug Out Test 1	1.66E-04
UMW-104	Dec-90	Bouwer-Rice (Unconfined)	Slug In Test 2	1.62E-04
UMW-104	Dec-90	Bouwer-Rice (Unconfined)	Slug Out Test 2	1.93E-04
<b>Geometric Mean</b>				<b>1.78E-04</b>
UMW-106	Dec-90	Bouwer-Rice (Unconfined)	Bail Down Test	<b>1.21E-06</b>
UMW-107	Jun-11	Bouwer-Rice (Unconfined)	Slug In (Test 1)	2.60E-04
UMW-107	Jun-11	Bouwer-Rice (Unconfined)	Slug Out (Test 2)	3.52E-05
<b>Geometric Mean</b>				<b>9.57E-05</b>
UMW-108	Dec-90	Bouwer-Rice (Unconfined)	Bail Down Test	<b>5.23E-06</b>
UMW-108	Jun-11	Bouwer-Rice (Unconfined)	Slug In (Test 1)	9.52E-05
UMW-108	Jun-11	Bouwer-Rice (Unconfined)	Slug Out (Test 2)	7.30E-05
<b>Geometric Mean</b>				<b>8.34E-05</b>
UMW-109	Jun-11	KGS Model w/ Skin (Unconfined)	Slug In (Test 1)	2.58E-06
UMW-109	Jun-11	Bouwer-Rice (Unconfined)	Slug In (Test 1)	3.91E-06
<b>Geometric Mean</b>				<b>3.18E-06</b>
UMW-116	Jun-11	Bouwer-Rice (Unconfined)	Slug In (Test 1)	2.55E-05
UMW-116	Jun-11	Bouwer-Rice (Unconfined)	Slug Out (Test 2)	3.86E-05
<b>Geometric Mean</b>				<b>3.14E-05</b>

Notes:

1 Analytical package for analysis of 2011 slug test data: AQTESOLV Pro Version 4.50

1990 Testing and 1994 Analysis conducted by Burlington Environmental, Inc.

2011 Testing and Analysis conducted by PSC Industrial Outsourcing and Kelron Environmental, Inc.



UMW-102: TEST 1

Data Set: C:\Consulting A\MGP\_Program\CH MGP\Annual\_2011\Slug Tests\Analyses\CHMGP 102in1.aqt  
 Date: 07/28/11 Time: 15:38:14

PROJECT INFORMATION

Company: Kelron Environmental  
 Client: AmerenIP  
 Project: 624-0908-0210  
 Location: CHMGP  
 Test Well: UMW-102  
 Test Date: 6/24/11

AQUIFER DATA


Saturated Thickness: 15.67 ft Anisotropy Ratio (Kz/Kr): 1.

WELL DATA (UMW-102)

Initial Displacement: 0.66 ft Static Water Column Height: 15.67 ft  
 Total Well Penetration Depth: 15.17 ft Screen Length: 14.8 ft  
 Casing Radius: 0.0833 ft Well Radius: 0.333 ft

SOLUTION

Aquifer Model: Unconfined Solution Method: Bouwer-Rice  
 K = 4.045E-5 cm/sec y0 = 0.1724 ft



UMW-102: TEST 1

Data Set: C:\Consulting A\MGP\_Program\CH MGP\Annual\_2011\Slug Tests\Analyses\CHMGP 102in1.aqt  
 Date: 07/28/11 Time: 15:43:06

PROJECT INFORMATION

Company: Kelron Environmental  
 Client: AmerenIP  
 Project: 624-0908-0210  
 Location: CHMGP  
 Test Well: UMW-102  
 Test Date: 6/24/11

AQUIFER DATA


Saturated Thickness: 15.67 ft

WELL DATA (UMW-102)

Initial Displacement: <u>0.66</u> ft	Static Water Column Height: <u>15.67</u> ft
Total Well Penetration Depth: <u>15.17</u> ft	Screen Length: <u>14.8</u> ft
Casing Radius: <u>0.0833</u> ft	Well Radius: <u>0.333</u> ft
Well Skin Radius: <u>0.417</u> ft	

SOLUTION

Aquifer Model: <u>Unconfined</u>	Solution Method: <u>KGS Model w/skin</u>
Kr = <u>4.482E-5</u> cm/sec	Ss = <u>0.006382</u> ft <sup>-1</sup>
Kz/Kr = <u>1.</u>	Kr' = <u>0.0001268</u> cm/sec
Ss' = <u>1.0E-10</u> ft <sup>-1</sup>	Kz/Kr' = <u>0.4949</u>



UMW-107: TEST 1

Data Set: C:\Consulting A\MGP\_Program\CH MGP\Annual\_2011\Slug Tests\Analyses\CHMGP 107in1.aqt  
 Date: 07/28/11 Time: 15:44:26

PROJECT INFORMATION

Company: Kelron Environmental  
 Client: AmerenIP  
 Project: 624-0908-0210  
 Location: CHMGP  
 Test Well: UMW-107  
 Test Date: 6/24/11

AQUIFER DATA


Saturated Thickness: 13.22 ft Anisotropy Ratio (Kz/Kr): 1.

WELL DATA (UMW-107)

Initial Displacement: 0.909 ft Static Water Column Height: 12.52 ft  
 Total Well Penetration Depth: 12.12 ft Screen Length: 9.8 ft  
 Casing Radius: 0.0833 ft Well Radius: 0.333 ft

SOLUTION

Aquifer Model: Unconfined Solution Method: Bouwer-Rice  
 K = 0.0002598 cm/sec  $y_0 =$  0.6509 ft



UMW-107: TEST 2

Data Set: C:\Consulting A\MGP\_Program\CH MGP\Annual\_2011\Slug Tests\Analyses\CHMGP 107out1.aqt  
 Date: 07/28/11 Time: 15:48:53

PROJECT INFORMATION

Company: Kelron Environmental  
 Client: AmerenIP  
 Project: 624-0908-0210  
 Location: CHMGP  
 Test Well: UMW-107  
 Test Date: 6/24/11

AQUIFER DATA


Saturated Thickness: 13.22 ft Anisotropy Ratio ( $K_z/K_r$ ): 1.

WELL DATA (UMW-107)

Initial Displacement: 0.909 ft Static Water Column Height: 12.52 ft  
 Total Well Penetration Depth: 12.12 ft Screen Length: 9.8 ft  
 Casing Radius: 0.0833 ft Well Radius: 0.333 ft

SOLUTION

Aquifer Model: Unconfined Solution Method: Bouwer-Rice  
 $K = 3.519E-5$  cm/sec  $y_0 = 0.4074$  ft



UMW-108: TEST 1

Data Set: C:\Consulting A\MGP\_Program\CH MGP\Annual\_2011\Slug Tests\Analyses\CHMGP 108in1.aqt  
 Date: 07/28/11 Time: 15:59:30

PROJECT INFORMATION

Company: Kelron Environmental  
 Client: AmerenIP  
 Project: 624-0908-0210  
 Location: CHMGP  
 Test Well: UMW-108  
 Test Date: 6/24/11

AQUIFER DATA


Saturated Thickness: 15.11 ft Anisotropy Ratio (Kz/Kr): 1.

WELL DATA (UMW-108)

Initial Displacement: 0.676 ft Static Water Column Height: 9.91 ft  
 Total Well Penetration Depth: 9.8 ft Screen Length: 9.8 ft  
 Casing Radius: 0.0833 ft Well Radius: 0.333 ft

SOLUTION

Aquifer Model: Unconfined Solution Method: Bouwer-Rice  
 K = 9.518E-5 cm/sec y0 = 0.5076 ft



UMW-108: TEST 2

Data Set: C:\Consulting AMGP\_Program\CH MGP\Annual\_2011\Slug Tests\Analyses\CHMGP 108in2.aqt  
 Date: 06/27/11 Time: 06:05:38

PROJECT INFORMATION

Company: Kelron Environmental  
 Client: AmerenIP  
 Project: 624-0908-0210  
 Location: CHMGP  
 Test Well: UMW-108  
 Test Date: 6/24/11

AQUIFER DATA


Saturated Thickness: 15.11 ft Anisotropy Ratio (Kz/Kr): 1.

WELL DATA (UMW-108)

Initial Displacement: 0.676 ft Static Water Column Height: 9.91 ft  
 Total Well Penetration Depth: 9.8 ft Screen Length: 9.8 ft  
 Casing Radius: 0.0833 ft Well Radius: 0.333 ft

SOLUTION

Aquifer Model: Unconfined Solution Method: Bouwer-Rice  
 K = 7.301E-5 cm/sec y0 = 0.5635 ft



UMW-109: TEST 1

Data Set: C:\Consulting AIMGP\_Program\CH MGP\Annual\_2011\Slug Tests\Analyses\CHMGP 109in1.aqt  
 Date: 07/28/11 Time: 16:02:40

PROJECT INFORMATION

Company: Kelron Environmental  
 Client: AmerenIP  
 Project: 624-0908-0210  
 Location: CHMGP  
 Test Well: UMW-109  
 Test Date: 6/24/11

AQUIFER DATA

Saturated Thickness: 12.65 ft


WELL DATA (UMW-109)

Initial Displacement: <u>0.453 ft</u>	Static Water Column Height: <u>12.65 ft</u>
Total Well Penetration Depth: <u>12.45 ft</u>	Screen Length: <u>9.8 ft</u>
Casing Radius: <u>0.0833 ft</u>	Well Radius: <u>0.333 ft</u>
Well Skin Radius: <u>0.417 ft</u>	

SOLUTION

Aquifer Model: <u>Unconfined</u>	Solution Method: <u>KGS Model w/skin</u>
Kr = <u>2.58E-6 cm/sec</u>	Ss = <u>7.905E-12 ft<sup>-1</sup></u>
Kz/Kr = <u>1.</u>	Kr' = <u>0.0001591 cm/sec</u>
Ss' = <u>0.0008843 ft<sup>-1</sup></u>	Kz/Kr' = <u>0.5922</u>





UMW-109: TEST 1

Data Set: C:\Consulting AIMGP\_Program\CH MGP\Annual\_2011\Slug Tests\Analyses\CHMGP 109in1.aqt  
 Date: 07/28/11 Time: 16:04:27

PROJECT INFORMATION

Company: Kelron Environmental  
 Client: AmerenIP  
 Project: 624-0908-0210  
 Location: CHMGP  
 Test Well: UMW-109  
 Test Date: 6/24/11

AQUIFER DATA


Saturated Thickness: 12.65 ft Anisotropy Ratio (Kz/Kr): 1.

WELL DATA (UMW-109)

Initial Displacement: 0.453 ft Static Water Column Height: 12.65 ft  
 Total Well Penetration Depth: 12.45 ft Screen Length: 9.8 ft  
 Casing Radius: 0.0833 ft Well Radius: 0.333 ft

SOLUTION

Aquifer Model: Unconfined Solution Method: Bouwer-Rice  
 K = 2.58E-6 cm/sec y0 = 0.4096 ft



UMW-116: TEST 1

Data Set: C:\Consulting AIMGP\_Program\CH MGP\Annual\_2011\Slug Tests\Analyses\CHMGP 116in1.aqt  
 Date: 07/28/11 Time: 16:05:25

PROJECT INFORMATION

Company: Kelron Environmental  
 Client: AmerenIP  
 Project: 624-0908-0210  
 Location: CHMGP  
 Test Well: UMW-116  
 Test Date: 6/24/11

AQUIFER DATA


Saturated Thickness: 14.6 ft Anisotropy Ratio (Kz/Kr): 1.

WELL DATA (UMW-116)

Initial Displacement: 0.985 ft Static Water Column Height: 14.6 ft  
 Total Well Penetration Depth: 14.9 ft Screen Length: 9.8 ft  
 Casing Radius: 0.0833 ft Well Radius: 0.333 ft

SOLUTION

Aquifer Model: Unconfined Solution Method: Bouwer-Rice  
 K = 2.553E-5 cm/sec  $y_0 =$  0.4803 ft



UMW-116: TEST 2

Data Set: C:\Consulting AIMGP\_Program\CH MGP\Annual\_2011\Slug Tests\Analyses\CHMGP 116out2.aqt  
 Date: 07/28/11 Time: 16:05:58

PROJECT INFORMATION

Company: Kelron Environmental  
 Client: AmerenIP  
 Project: 624-0908-0210  
 Location: CHMGP  
 Test Well: UMW-116  
 Test Date: 6/24/11

AQUIFER DATA

Saturated Thickness: 14.6 ft Anisotropy Ratio (Kz/Kr): 1.

WELL DATA (UMW-116)

Initial Displacement: 1.087 ft Static Water Column Height: 14.6 ft  
 Total Well Penetration Depth: 14.9 ft Screen Length: 9.8 ft  
 Casing Radius: 0.0833 ft Well Radius: 0.333 ft

SOLUTION

Aquifer Model: Unconfined Solution Method: Bouwer-Rice  
 K = 3.859E-5 cm/sec  $y_0 =$ 0.4919 ft

Sensor SN	Sensor Type	Sensor Name	Session	Records
2549025	PT2X	aquistar	UMW102-IN	148
		Pressure(psi)	Temperature(degC)	
	Sensor Range	50 psig	-40 - +125 degC	
	Minimum	6.796	13.5	
	Maximum	7.454	14.0	
	Mean	6.980	13.8	
	Variance	0.0181	0.02	
	Std Deviation	0.1346	0.15	
	Gain	1.000000	1.000000	
	Offset	0.0000	0.00	
Rec#	Date/Time	Pressure(psi)	Temperature(degC)	
1	24-Jun-11 09:27:06	6.798	13.7	
2	24-Jun-11 09:27:07	6.798	13.7	
3	24-Jun-11 09:27:08	6.798	13.7	
4	24-Jun-11 09:27:09	6.798	13.8	
5	24-Jun-11 09:27:10	6.796	13.8	
6	24-Jun-11 09:27:11	6.798	13.8	
7	24-Jun-11 09:27:12	6.798	13.8	
8	24-Jun-11 09:27:13	6.800	13.8	
9	24-Jun-11 09:27:14	7.298	13.8	
10	24-Jun-11 09:27:15	7.454	13.8	
11	24-Jun-11 09:27:16	7.403	13.8	
12	24-Jun-11 09:27:17	7.376	13.8	
13	24-Jun-11 09:27:18	7.351	13.8	
14	24-Jun-11 09:27:19	7.328	13.8	
15	24-Jun-11 09:27:20	7.309	13.8	
16	24-Jun-11 09:27:21	7.296	13.8	
17	24-Jun-11 09:27:22	7.272	13.8	
18	24-Jun-11 09:27:23	7.252	13.8	
19	24-Jun-11 09:27:24	7.239	13.8	
20	24-Jun-11 09:27:25	7.222	13.8	
21	24-Jun-11 09:27:26	7.207	13.8	
22	24-Jun-11 09:27:27	7.192	13.8	
23	24-Jun-11 09:27:28	7.184	13.8	
24	24-Jun-11 09:27:29	7.172	13.9	
25	24-Jun-11 09:27:30	7.162	13.9	
26	24-Jun-11 09:27:31	7.150	13.8	
27	24-Jun-11 09:27:32	7.142	13.9	
28	24-Jun-11 09:27:33	7.132	13.8	
29	24-Jun-11 09:27:34	7.123	13.9	
30	24-Jun-11 09:27:35	7.113	13.9	
31	24-Jun-11 09:27:36	7.106	13.9	
32	24-Jun-11 09:27:37	7.098	13.9	
33	24-Jun-11 09:27:38	7.090	13.9	
34	24-Jun-11 09:27:39	7.083	13.9	
35	24-Jun-11 09:27:40	7.078	13.9	
36	24-Jun-11 09:27:41	7.071	13.9	
37	24-Jun-11 09:27:42	7.065	13.9	
38	24-Jun-11 09:27:43	7.060	13.9	

Sensor SN	Sensor Type	Sensor Name	Session	Records
2549025	PT2X	aquistar	UMW102-IN	148
		Pressure(psi)	Temperature(degC)	
	Sensor Range	50 psig	-40 - +125 degC	
	Minimum	6.796	13.5	
	Maximum	7.454	14.0	
	Mean	6.980	13.8	
	Variance	0.0181	0.02	
	Std Deviation	0.1346	0.15	
	Gain	1.000000	1.000000	
	Offset	0.0000	0.00	
Rec#	Date/Time	Pressure(psi)	Temperature(degC)	
39	24-Jun-11 09:27:44	7.055	13.9	
40	24-Jun-11 09:27:45	7.048	13.9	
41	24-Jun-11 09:27:46	7.043	13.9	
42	24-Jun-11 09:27:47	7.038	13.9	
43	24-Jun-11 09:27:48	7.034	13.9	
44	24-Jun-11 09:27:49	7.031	13.9	
45	24-Jun-11 09:27:50	7.028	13.9	
46	24-Jun-11 09:27:51	7.024	13.9	
47	24-Jun-11 09:27:52	7.021	13.9	
48	24-Jun-11 09:27:53	7.018	13.9	
49	24-Jun-11 09:27:54	7.014	13.9	
50	24-Jun-11 09:27:55	7.013	13.9	
51	24-Jun-11 09:27:56	7.008	13.9	
52	24-Jun-11 09:27:57	7.006	13.9	
53	24-Jun-11 09:27:58	7.003	13.9	
54	24-Jun-11 09:27:59	7.001	13.9	
55	24-Jun-11 09:28:00	6.997	13.9	
56	24-Jun-11 09:28:01	6.994	13.9	
57	24-Jun-11 09:28:02	6.994	13.9	
58	24-Jun-11 09:28:03	6.991	13.9	
59	24-Jun-11 09:28:04	6.987	13.9	
60	24-Jun-11 09:28:05	6.987	13.9	
61	24-Jun-11 09:28:06	6.984	13.9	
62	24-Jun-11 09:28:07	6.981	13.9	
63	24-Jun-11 09:28:08	6.981	13.9	
64	24-Jun-11 09:28:09	6.977	13.9	
65	24-Jun-11 09:28:10	6.976	13.9	
66	24-Jun-11 09:28:11	6.974	13.9	
67	24-Jun-11 09:28:12	6.972	13.9	
68	24-Jun-11 09:28:13	6.971	13.9	
69	24-Jun-11 09:28:14	6.971	13.9	
70	24-Jun-11 09:28:15	6.967	13.9	
71	24-Jun-11 09:28:16	6.966	13.9	
72	24-Jun-11 09:28:17	6.966	13.9	
73	24-Jun-11 09:28:18	6.964	13.9	
74	24-Jun-11 09:28:19	6.961	13.9	
75	24-Jun-11 09:28:20	6.961	13.9	
76	24-Jun-11 09:28:21	6.959	13.9	

Sensor SN	Sensor Type	Sensor Name	Session	Records
2549025	PT2X	aquistar	UMW102-IN	148
		Pressure(psi)	Temperature(degC)	
	Sensor Range	50 psig	-40 - +125 degC	
	Minimum	6.796	13.5	
	Maximum	7.454	14.0	
	Mean	6.980	13.8	
	Variance	0.0181	0.02	
	Std Deviation	0.1346	0.15	
	Gain	1.000000	1.000000	
	Offset	0.0000	0.00	
Rec#	Date/Time	Pressure(psi)	Temperature(degC)	
77	24-Jun-11 09:28:22	6.957	13.9	
78	24-Jun-11 09:28:23	6.956	13.9	
79	24-Jun-11 09:28:24	6.956	13.9	
80	24-Jun-11 09:28:25	6.952	13.9	
81	24-Jun-11 09:28:26	6.952	13.9	
82	24-Jun-11 09:28:27	6.952	13.9	
83	24-Jun-11 09:28:28	6.951	13.9	
84	24-Jun-11 09:28:29	6.949	13.9	
85	24-Jun-11 09:28:30	6.947	13.9	
86	24-Jun-11 09:28:31	6.947	13.9	
87	24-Jun-11 09:28:32	6.947	13.9	
88	24-Jun-11 09:28:33	6.946	13.9	
89	24-Jun-11 09:28:34	6.944	13.9	
90	24-Jun-11 09:28:35	6.944	14.0	
91	24-Jun-11 09:28:36	6.940	13.9	
92	24-Jun-11 09:28:37	6.942	13.9	
93	24-Jun-11 09:28:38	6.940	13.9	
94	24-Jun-11 09:28:39	6.940	13.9	
95	24-Jun-11 09:28:40	6.940	13.9	
96	24-Jun-11 09:28:41	6.939	13.9	
97	24-Jun-11 09:28:42	6.939	14.0	
98	24-Jun-11 09:28:43	6.937	13.9	
99	24-Jun-11 09:28:44	6.937	13.9	
100	24-Jun-11 09:28:45	6.937	13.9	
101	24-Jun-11 09:28:55	6.930	13.8	
102	24-Jun-11 09:29:05	6.927	13.8	
103	24-Jun-11 09:29:15	6.922	13.8	
104	24-Jun-11 09:29:25	6.917	13.7	
105	24-Jun-11 09:29:35	6.914	13.7	
106	24-Jun-11 09:29:45	6.910	13.6	
107	24-Jun-11 09:29:55	6.907	13.6	
108	24-Jun-11 09:30:05	6.905	13.6	
109	24-Jun-11 09:30:15	6.900	13.7	
110	24-Jun-11 09:30:25	6.897	13.7	
111	24-Jun-11 09:30:35	6.895	13.6	
112	24-Jun-11 09:30:45	6.892	13.6	
113	24-Jun-11 09:30:55	6.890	13.6	
114	24-Jun-11 09:31:05	6.889	13.6	

Sensor SN	Sensor Type	Sensor Name	Session	Records
2549025	PT2X	aquistar	UMW102-IN	148
		Pressure(psi)	Temperature(degC)	
	Sensor Range	50 psig	-40 - +125 degC	
	Minimum	6.796	13.5	
	Maximum	7.454	14.0	
	Mean	6.980	13.8	
	Variance	0.0181	0.02	
	Std Deviation	0.1346	0.15	
	Gain	1.000000	1.000000	
	Offset	0.0000	0.00	
Rec#	Date/Time	Pressure(psi)	Temperature(degC)	
115	24-Jun-11 09:31:15	6.885	13.6	
116	24-Jun-11 09:31:25	6.883	13.6	
117	24-Jun-11 09:31:35	6.882	13.7	
118	24-Jun-11 09:31:45	6.880	13.6	
119	24-Jun-11 09:31:55	6.878	13.6	
120	24-Jun-11 09:32:05	6.877	13.6	
121	24-Jun-11 09:32:15	6.877	13.6	
122	24-Jun-11 09:32:25	6.873	13.6	
123	24-Jun-11 09:32:35	6.872	13.6	
124	24-Jun-11 09:32:45	6.870	13.6	
125	24-Jun-11 09:32:55	6.870	13.6	
126	24-Jun-11 09:33:05	6.868	13.6	
127	24-Jun-11 09:33:15	6.868	13.5	
128	24-Jun-11 09:33:25	6.867	13.5	
129	24-Jun-11 09:33:35	6.867	13.5	
130	24-Jun-11 09:33:45	6.867	13.5	
131	24-Jun-11 09:33:55	6.865	13.5	
132	24-Jun-11 09:34:05	6.863	13.5	
133	24-Jun-11 09:34:15	6.863	13.5	
134	24-Jun-11 09:34:25	6.862	13.6	
135	24-Jun-11 09:34:35	6.862	13.6	
136	24-Jun-11 09:34:45	6.860	13.5	
137	24-Jun-11 09:34:55	6.860	13.5	
138	24-Jun-11 09:35:05	6.858	13.5	
139	24-Jun-11 09:35:15	6.858	13.5	
140	24-Jun-11 09:35:25	6.858	13.5	
141	24-Jun-11 09:35:35	6.858	13.5	
142	24-Jun-11 09:35:45	6.857	13.5	
143	24-Jun-11 09:35:55	6.855	13.5	
144	24-Jun-11 09:36:05	6.855	13.5	
145	24-Jun-11 09:36:15	6.855	13.6	
146	24-Jun-11 09:36:25	6.853	13.5	
147	24-Jun-11 09:36:35	6.853	13.5	
148	24-Jun-11 09:36:45	6.852	13.5	

Sensor SN	Sensor Type	Sensor Name	Session	Records
2549025	PT2X	aquistar	MMW107-IN	160
		Pressure(psi)	Temperature(degC)	
	Sensor Range	50 psig	-40 - +125 degC	
	Minimum	5.002	13.6	
	Maximum	5.911	14.0	
	Mean	5.241	13.8	
	Variance	0.0415	0.02	
	Std Deviation	0.2036	0.13	
	Gain	1.000000	1.000000	
	Offset	0.0000	0.00	
Rec#	Date/Time	Pressure(psi)	Temperature(degC)	
1	24-Jun-11 14:08:40	5.002	13.7	
2	24-Jun-11 14:08:41	5.002	13.7	
3	24-Jun-11 14:08:42	5.002	13.8	
4	24-Jun-11 14:08:43	5.002	13.8	
5	24-Jun-11 14:08:44	5.002	13.8	
6	24-Jun-11 14:08:45	5.002	13.8	
7	24-Jun-11 14:08:46	5.002	13.8	
8	24-Jun-11 14:08:47	5.002	13.8	
9	24-Jun-11 14:08:48	5.004	13.8	
10	24-Jun-11 14:08:49	5.535	13.8	
11	24-Jun-11 14:08:50	5.911	13.8	
12	24-Jun-11 14:08:51	5.701	13.8	
13	24-Jun-11 14:08:52	5.668	13.8	
14	24-Jun-11 14:08:53	5.592	13.8	
15	24-Jun-11 14:08:54	5.604	13.8	
16	24-Jun-11 14:08:55	5.596	13.8	
17	24-Jun-11 14:08:56	5.624	13.8	
18	24-Jun-11 14:08:57	5.584	13.8	
19	24-Jun-11 14:08:58	5.577	13.8	
20	24-Jun-11 14:08:59	5.572	13.8	
21	24-Jun-11 14:09:00	5.565	13.8	
22	24-Jun-11 14:09:01	5.560	13.9	
23	24-Jun-11 14:09:02	5.554	13.9	
24	24-Jun-11 14:09:03	5.549	13.9	
25	24-Jun-11 14:09:04	5.544	13.9	
26	24-Jun-11 14:09:05	5.539	13.9	
27	24-Jun-11 14:09:06	5.530	13.9	
28	24-Jun-11 14:09:07	5.525	13.9	
29	24-Jun-11 14:09:08	5.519	13.9	
30	24-Jun-11 14:09:09	5.512	13.9	
31	24-Jun-11 14:09:10	5.505	13.9	
32	24-Jun-11 14:09:11	5.500	13.9	
33	24-Jun-11 14:09:12	5.493	13.9	
34	24-Jun-11 14:09:13	5.487	13.9	
35	24-Jun-11 14:09:14	5.482	13.9	
36	24-Jun-11 14:09:15	5.475	13.9	
37	24-Jun-11 14:09:16	5.470	13.9	
38	24-Jun-11 14:09:17	5.463	13.9	



Sensor SN	Sensor Type	Sensor Name	Session	Records
2549025	PT2X	aquistar	MMW107-IN	160
		Pressure(psi)	Temperature(degC)	
	Sensor Range	50 psig	-40 - +125 degC	
	Minimum	5.002	13.6	
	Maximum	5.911	14.0	
	Mean	5.241	13.8	
	Variance	0.0415	0.02	
	Std Deviation	0.2036	0.13	
	Gain	1.000000	1.000000	
	Offset	0.0000	0.00	
Rec#	Date/Time	Pressure(psi)	Temperature(degC)	
39	24-Jun-11 14:09:18	5.458	13.9	
40	24-Jun-11 14:09:19	5.451	13.9	
41	24-Jun-11 14:09:20	5.446	13.9	
42	24-Jun-11 14:09:21	5.441	13.9	
43	24-Jun-11 14:09:22	5.435	13.9	
44	24-Jun-11 14:09:23	5.430	13.9	
45	24-Jun-11 14:09:24	5.425	13.9	
46	24-Jun-11 14:09:25	5.418	13.9	
47	24-Jun-11 14:09:26	5.413	13.9	
48	24-Jun-11 14:09:27	5.406	13.9	
49	24-Jun-11 14:09:28	5.401	13.9	
50	24-Jun-11 14:09:29	5.396	13.9	
51	24-Jun-11 14:09:30	5.391	13.9	
52	24-Jun-11 14:09:31	5.386	13.9	
53	24-Jun-11 14:09:32	5.381	13.9	
54	24-Jun-11 14:09:33	5.376	13.9	
55	24-Jun-11 14:09:34	5.371	13.9	
56	24-Jun-11 14:09:35	5.366	13.9	
57	24-Jun-11 14:09:36	5.361	13.9	
58	24-Jun-11 14:09:37	5.356	14.0	
59	24-Jun-11 14:09:38	5.351	13.9	
60	24-Jun-11 14:09:39	5.346	13.9	
61	24-Jun-11 14:09:40	5.341	13.9	
62	24-Jun-11 14:09:41	5.336	13.9	
63	24-Jun-11 14:09:42	5.332	13.9	
64	24-Jun-11 14:09:43	5.327	14.0	
65	24-Jun-11 14:09:44	5.322	14.0	
66	24-Jun-11 14:09:45	5.319	14.0	
67	24-Jun-11 14:09:46	5.314	14.0	
68	24-Jun-11 14:09:47	5.309	14.0	
69	24-Jun-11 14:09:48	5.306	14.0	
70	24-Jun-11 14:09:49	5.300	14.0	
71	24-Jun-11 14:09:50	5.297	14.0	
72	24-Jun-11 14:09:51	5.294	14.0	
73	24-Jun-11 14:09:52	5.290	14.0	
74	24-Jun-11 14:09:53	5.285	14.0	
75	24-Jun-11 14:09:54	5.284	14.0	
76	24-Jun-11 14:09:55	5.279	14.0	

Sensor SN	Sensor Type	Sensor Name	Session	Records
2549025	PT2X	aquistar	MMW107-IN	160
		Pressure(psi)	Temperature(degC)	
	Sensor Range	50 psig	-40 - +125 degC	
	Minimum	5.002	13.6	
	Maximum	5.911	14.0	
	Mean	5.241	13.8	
	Variance	0.0415	0.02	
	Std Deviation	0.2036	0.13	
	Gain	1.000000	1.000000	
	Offset	0.0000	0.00	
Rec#	Date/Time	Pressure(psi)	Temperature(degC)	
77	24-Jun-11 14:09:56	5.275	14.0	
78	24-Jun-11 14:09:57	5.270	14.0	
79	24-Jun-11 14:09:58	5.269	14.0	
80	24-Jun-11 14:09:59	5.264	14.0	
81	24-Jun-11 14:10:00	5.260	14.0	
82	24-Jun-11 14:10:01	5.259	14.0	
83	24-Jun-11 14:10:02	5.254	14.0	
84	24-Jun-11 14:10:03	5.250	14.0	
85	24-Jun-11 14:10:04	5.249	14.0	
86	24-Jun-11 14:10:05	5.245	14.0	
87	24-Jun-11 14:10:06	5.242	14.0	
88	24-Jun-11 14:10:07	5.238	14.0	
89	24-Jun-11 14:10:08	5.235	14.0	
90	24-Jun-11 14:10:09	5.232	14.0	
91	24-Jun-11 14:10:10	5.230	14.0	
92	24-Jun-11 14:10:11	5.227	14.0	
93	24-Jun-11 14:10:12	5.223	14.0	
94	24-Jun-11 14:10:13	5.220	14.0	
95	24-Jun-11 14:10:14	5.218	14.0	
96	24-Jun-11 14:10:15	5.215	14.0	
97	24-Jun-11 14:10:16	5.212	14.0	
98	24-Jun-11 14:10:17	5.208	14.0	
99	24-Jun-11 14:10:18	5.207	14.0	
100	24-Jun-11 14:10:19	5.205	14.0	
101	24-Jun-11 14:10:29	5.178	13.9	
102	24-Jun-11 14:10:39	5.155	13.9	
103	24-Jun-11 14:10:49	5.136	13.8	
104	24-Jun-11 14:10:59	5.118	13.8	
105	24-Jun-11 14:11:09	5.103	13.8	
106	24-Jun-11 14:11:19	5.088	13.9	
107	24-Jun-11 14:11:29	5.078	13.8	
108	24-Jun-11 14:11:39	5.069	13.8	
109	24-Jun-11 14:11:49	5.064	13.8	
110	24-Jun-11 14:11:59	5.059	13.7	
111	24-Jun-11 14:12:09	5.054	13.7	
112	24-Jun-11 14:12:19	5.051	13.7	
113	24-Jun-11 14:12:29	5.047	13.7	
114	24-Jun-11 14:12:39	5.046	13.7	

Sensor SN	Sensor Type	Sensor Name	Session	Records
2549025	PT2X	aquistar	MMW107-IN	160
		Pressure(psi)	Temperature(degC)	
	Sensor Range	50 psig	-40 - +125 degC	
	Minimum	5.002	13.6	
	Maximum	5.911	14.0	
	Mean	5.241	13.8	
	Variance	0.0415	0.02	
	Std Deviation	0.2036	0.13	
	Gain	1.000000	1.000000	
	Offset	0.0000	0.00	
Rec#	Date/Time	Pressure(psi)	Temperature(degC)	
115	24-Jun-11 14:12:49	5.046	13.7	
116	24-Jun-11 14:12:59	5.042	13.7	
117	24-Jun-11 14:13:09	5.041	13.7	
118	24-Jun-11 14:13:19	5.037	13.7	
119	24-Jun-11 14:13:29	5.039	13.6	
120	24-Jun-11 14:13:39	5.039	13.7	
121	24-Jun-11 14:13:49	5.037	13.7	
122	24-Jun-11 14:13:59	5.037	13.6	
123	24-Jun-11 14:14:09	5.037	13.6	
124	24-Jun-11 14:14:19	5.039	13.6	
125	24-Jun-11 14:14:29	5.039	13.7	
126	24-Jun-11 14:14:39	5.039	13.6	
127	24-Jun-11 14:14:49	5.037	13.6	
128	24-Jun-11 14:14:59	5.037	13.6	
129	24-Jun-11 14:15:09	5.037	13.6	
130	24-Jun-11 14:15:19	5.037	13.6	
131	24-Jun-11 14:15:29	5.037	13.6	
132	24-Jun-11 14:15:39	5.036	13.6	
133	24-Jun-11 14:15:49	5.037	13.6	
134	24-Jun-11 14:15:59	5.036	13.6	
135	24-Jun-11 14:16:09	5.037	13.6	
136	24-Jun-11 14:16:19	5.036	13.6	
137	24-Jun-11 14:16:29	5.036	13.6	
138	24-Jun-11 14:16:39	5.036	13.6	
139	24-Jun-11 14:16:49	5.036	13.6	
140	24-Jun-11 14:16:59	5.036	13.6	
141	24-Jun-11 14:17:09	5.036	13.6	
142	24-Jun-11 14:17:19	5.036	13.6	
143	24-Jun-11 14:17:29	5.036	13.8	
144	24-Jun-11 14:17:39	5.041	13.9	
145	24-Jun-11 14:17:49	5.034	13.8	
146	24-Jun-11 14:17:59	5.034	13.7	
147	24-Jun-11 14:18:09	5.032	13.8	
148	24-Jun-11 14:18:19	5.036	13.8	
149	24-Jun-11 14:18:29	5.034	13.7	
150	24-Jun-11 14:18:39	5.034	13.8	
151	24-Jun-11 14:18:49	5.032	13.8	
152	24-Jun-11 14:18:59	5.034	13.7	

Sensor SN	Sensor Type	Sensor Name	Session	Records
2549025	PT2X	aquistar	MMW107-IN	160
		Pressure(psi)	Temperature(degC)	
	Sensor Range	50 psig	-40 - +125 degC	
	Minimum	5.002	13.6	
	Maximum	5.911	14.0	
	Mean	5.241	13.8	
	Variance	0.0415	0.02	
	Std Deviation	0.2036	0.13	
	Gain	1.000000	1.000000	
	Offset	0.0000	0.00	
Rec#	Date/Time	Pressure(psi)	Temperature(degC)	
153	24-Jun-11 14:19:09	5.034	13.7	
154	24-Jun-11 14:19:19	5.032	13.7	
155	24-Jun-11 14:19:29	5.032	13.7	
156	24-Jun-11 14:19:39	5.032	13.7	
157	24-Jun-11 14:19:49	5.032	13.7	
158	24-Jun-11 14:19:59	5.031	13.7	
159	24-Jun-11 14:20:09	5.031	13.7	
160	24-Jun-11 14:20:19	5.031	13.7	

Sensor SN	Sensor Type	Sensor Name	Session	Records
2549025	PT2X	aquistar	MMW107-OUT	153
		Pressure(psi)	Temperature(degC)	
	Sensor Range	50 psig	-40 - +125 degC	
	Minimum	4.367	13.6	
	Maximum	5.029	14.1	
	Mean	4.624	13.8	
	Variance	0.0254	0.02	
	Std Deviation	0.1595	0.14	
	Gain	1.000000	1.000000	
	Offset	0.0000	0.00	
Rec#	Date/Time	Pressure(psi)	Temperature(degC)	
1	24-Jun-11 14:22:39	5.029	13.7	
2	24-Jun-11 14:22:40	5.029	13.7	
3	24-Jun-11 14:22:41	5.029	13.7	
4	24-Jun-11 14:22:42	4.700	13.7	
5	24-Jun-11 14:22:43	4.368	13.8	
6	24-Jun-11 14:22:44	4.367	13.8	
7	24-Jun-11 14:22:45	4.378	13.8	
8	24-Jun-11 14:22:46	4.388	13.8	
9	24-Jun-11 14:22:47	4.395	13.8	
10	24-Jun-11 14:22:48	4.402	13.8	
11	24-Jun-11 14:22:49	4.408	13.8	
12	24-Jun-11 14:22:50	4.413	13.8	
13	24-Jun-11 14:22:51	4.418	13.8	
14	24-Jun-11 14:22:52	4.422	13.8	
15	24-Jun-11 14:22:53	4.427	13.8	
16	24-Jun-11 14:22:54	4.430	13.8	
17	24-Jun-11 14:22:55	4.434	13.8	
18	24-Jun-11 14:22:56	4.437	13.8	
19	24-Jun-11 14:22:57	4.440	13.8	
20	24-Jun-11 14:22:58	4.444	13.8	
21	24-Jun-11 14:22:59	4.447	13.8	
22	24-Jun-11 14:23:00	4.450	13.8	
23	24-Jun-11 14:23:01	4.454	13.8	
24	24-Jun-11 14:23:02	4.455	13.8	
25	24-Jun-11 14:23:03	4.459	13.9	
26	24-Jun-11 14:23:04	4.460	13.8	
27	24-Jun-11 14:23:05	4.464	13.9	
28	24-Jun-11 14:23:06	4.467	13.9	
29	24-Jun-11 14:23:07	4.470	13.9	
30	24-Jun-11 14:23:08	4.472	13.9	
31	24-Jun-11 14:23:09	4.475	13.9	
32	24-Jun-11 14:23:10	4.479	13.9	
33	24-Jun-11 14:23:11	4.481	13.9	
34	24-Jun-11 14:23:12	4.482	13.9	
35	24-Jun-11 14:23:13	4.486	13.9	
36	24-Jun-11 14:23:14	4.487	13.9	
37	24-Jun-11 14:23:15	4.491	13.9	
38	24-Jun-11 14:23:16	4.492	13.9	

Sensor SN	Sensor Type	Sensor Name	Session	Records
2549025	PT2X	aquistar	MMW107-OUT	153
		Pressure(psi)	Temperature(degC)	
	Sensor Range	50 psig	-40 - +125 degC	
	Minimum	4.367	13.6	
	Maximum	5.029	14.1	
	Mean	4.624	13.8	
	Variance	0.0254	0.02	
	Std Deviation	0.1595	0.14	
	Gain	1.000000	1.000000	
	Offset	0.0000	0.00	
Rec#	Date/Time	Pressure(psi)	Temperature(degC)	
39	24-Jun-11 14:23:17	4.494	13.9	
40	24-Jun-11 14:23:18	4.497	13.9	
41	24-Jun-11 14:23:19	4.499	13.9	
42	24-Jun-11 14:23:20	4.502	13.9	
43	24-Jun-11 14:23:21	4.504	13.9	
44	24-Jun-11 14:23:22	4.507	13.9	
45	24-Jun-11 14:23:23	4.509	13.9	
46	24-Jun-11 14:23:24	4.511	13.9	
47	24-Jun-11 14:23:25	4.512	13.9	
48	24-Jun-11 14:23:26	4.516	13.9	
49	24-Jun-11 14:23:27	4.517	13.9	
50	24-Jun-11 14:23:28	4.519	13.9	
51	24-Jun-11 14:23:29	4.521	13.9	
52	24-Jun-11 14:23:30	4.524	13.9	
53	24-Jun-11 14:23:31	4.526	13.9	
54	24-Jun-11 14:23:32	4.529	13.9	
55	24-Jun-11 14:23:33	4.529	13.9	
56	24-Jun-11 14:23:34	4.532	13.9	
57	24-Jun-11 14:23:35	4.534	13.9	
58	24-Jun-11 14:23:36	4.536	13.9	
59	24-Jun-11 14:23:37	4.538	13.9	
60	24-Jun-11 14:23:38	4.539	13.9	
61	24-Jun-11 14:23:39	4.541	13.9	
62	24-Jun-11 14:23:40	4.544	14.0	
63	24-Jun-11 14:23:41	4.546	14.0	
64	24-Jun-11 14:23:42	4.548	14.0	
65	24-Jun-11 14:23:43	4.549	14.0	
66	24-Jun-11 14:23:44	4.553	13.9	
67	24-Jun-11 14:23:45	4.553	13.9	
68	24-Jun-11 14:23:46	4.556	14.0	
69	24-Jun-11 14:23:47	4.558	13.9	
70	24-Jun-11 14:23:48	4.559	14.0	
71	24-Jun-11 14:23:49	4.561	14.0	
72	24-Jun-11 14:23:50	4.563	14.0	
73	24-Jun-11 14:23:51	4.564	14.0	
74	24-Jun-11 14:23:52	4.566	14.0	
75	24-Jun-11 14:23:53	4.568	14.0	
76	24-Jun-11 14:23:54	4.569	14.0	

Sensor SN	Sensor Type	Sensor Name	Session	Records
2549025	PT2X	aquistar	MMW107-OUT	153
		Pressure(psi)	Temperature(degC)	
	Sensor Range	50 psig	-40 - +125 degC	
	Minimum	4.367	13.6	
	Maximum	5.029	14.1	
	Mean	4.624	13.8	
	Variance	0.0254	0.02	
	Std Deviation	0.1595	0.14	
	Gain	1.000000	1.000000	
	Offset	0.0000	0.00	
Rec#	Date/Time	Pressure(psi)	Temperature(degC)	
77	24-Jun-11 14:23:55	4.571	14.0	
78	24-Jun-11 14:23:56	4.573	14.0	
79	24-Jun-11 14:23:57	4.574	14.0	
80	24-Jun-11 14:23:58	4.576	14.0	
81	24-Jun-11 14:23:59	4.578	14.0	
82	24-Jun-11 14:24:00	4.579	14.0	
83	24-Jun-11 14:24:01	4.581	14.0	
84	24-Jun-11 14:24:02	4.583	14.0	
85	24-Jun-11 14:24:03	4.583	14.0	
86	24-Jun-11 14:24:04	4.586	14.0	
87	24-Jun-11 14:24:05	4.588	14.0	
88	24-Jun-11 14:24:06	4.589	14.0	
89	24-Jun-11 14:24:07	4.591	14.0	
90	24-Jun-11 14:24:08	4.591	14.0	
91	24-Jun-11 14:24:09	4.593	14.0	
92	24-Jun-11 14:24:10	4.595	14.0	
93	24-Jun-11 14:24:11	4.596	14.0	
94	24-Jun-11 14:24:12	4.598	14.0	
95	24-Jun-11 14:24:13	4.600	14.0	
96	24-Jun-11 14:24:14	4.600	14.0	
97	24-Jun-11 14:24:15	4.601	14.0	
98	24-Jun-11 14:24:16	4.605	14.0	
99	24-Jun-11 14:24:17	4.605	14.1	
100	24-Jun-11 14:24:18	4.606	14.0	
101	24-Jun-11 14:24:28	4.621	13.9	
102	24-Jun-11 14:24:38	4.633	13.8	
103	24-Jun-11 14:24:48	4.647	13.8	
104	24-Jun-11 14:24:58	4.657	13.8	
105	24-Jun-11 14:25:08	4.668	13.8	
106	24-Jun-11 14:25:18	4.678	13.8	
107	24-Jun-11 14:25:28	4.687	13.7	
108	24-Jun-11 14:25:38	4.699	13.7	
109	24-Jun-11 14:25:48	4.705	13.7	
110	24-Jun-11 14:25:58	4.715	13.7	
111	24-Jun-11 14:26:08	4.724	13.7	
112	24-Jun-11 14:26:18	4.730	13.7	
113	24-Jun-11 14:26:28	4.739	13.7	
114	24-Jun-11 14:26:38	4.746	13.7	



Sensor SN	Sensor Type	Sensor Name	Session	Records
2549025	PT2X	aquistar	MMW107-OUT	153
		Pressure(psi)	Temperature(degC)	
	Sensor Range	50 psig	-40 - +125 degC	
	Minimum	4.367	13.6	
	Maximum	5.029	14.1	
	Mean	4.624	13.8	
	Variance	0.0254	0.02	
	Std Deviation	0.1595	0.14	
	Gain	1.000000	1.000000	
	Offset	0.0000	0.00	
Rec#	Date/Time	Pressure(psi)	Temperature(degC)	
115	24-Jun-11 14:26:48	4.752	13.6	
116	24-Jun-11 14:26:58	4.759	13.6	
117	24-Jun-11 14:27:08	4.764	13.6	
118	24-Jun-11 14:27:18	4.771	13.6	
119	24-Jun-11 14:27:28	4.777	13.6	
120	24-Jun-11 14:27:38	4.782	13.6	
121	24-Jun-11 14:27:48	4.787	13.6	
122	24-Jun-11 14:27:58	4.792	13.6	
123	24-Jun-11 14:28:08	4.796	13.7	
124	24-Jun-11 14:28:18	4.803	13.6	
125	24-Jun-11 14:28:28	4.808	13.6	
126	24-Jun-11 14:28:38	4.811	13.6	
127	24-Jun-11 14:28:48	4.814	13.6	
128	24-Jun-11 14:28:58	4.819	13.6	
129	24-Jun-11 14:29:08	4.823	13.6	
130	24-Jun-11 14:29:18	4.828	13.6	
131	24-Jun-11 14:29:28	4.831	13.6	
132	24-Jun-11 14:29:38	4.834	13.6	
133	24-Jun-11 14:29:48	4.839	13.6	
134	24-Jun-11 14:29:58	4.843	13.6	
135	24-Jun-11 14:30:08	4.844	13.6	
136	24-Jun-11 14:30:18	4.848	13.6	
137	24-Jun-11 14:30:28	4.851	13.6	
138	24-Jun-11 14:30:38	4.856	13.6	
139	24-Jun-11 14:30:48	4.858	13.6	
140	24-Jun-11 14:30:58	4.861	13.6	
141	24-Jun-11 14:31:08	4.865	13.6	
142	24-Jun-11 14:31:18	4.865	13.8	
143	24-Jun-11 14:31:28	4.868	13.8	
144	24-Jun-11 14:31:38	4.873	13.8	
145	24-Jun-11 14:31:48	4.875	13.8	
146	24-Jun-11 14:31:58	4.876	13.7	
147	24-Jun-11 14:32:08	4.878	13.7	
148	24-Jun-11 14:32:18	4.880	13.7	
149	24-Jun-11 14:32:28	4.875	13.8	
150	24-Jun-11 14:32:38	4.883	13.7	
151	24-Jun-11 14:32:48	4.883	13.7	
152	24-Jun-11 14:32:58	4.886	13.7	



Sensor SN	Sensor Type	Sensor Name	Session	Records
2549025	PT2X	aquistar	MMW107-OUT	153
		Pressure(psi)	Temperature(degC)	
	Sensor Range	50 psig	-40 - +125 degC	
	Minimum	4.367	13.6	
	Maximum	5.029	14.1	
	Mean	4.624	13.8	
	Variance	0.0254	0.02	
	Std Deviation	0.1595	0.14	
	Gain	1.000000	1.000000	
	Offset	0.0000	0.00	
Rec#	Date/Time	Pressure(psi)	Temperature(degC)	
153	24-Jun-11 14:33:08	4.886	13.7	

Sensor SN	Sensor Type	Sensor Name	Session	Records
2713002	PT2X	Aquistar	MMW8-IN	209
		Pressure(psi)	Temperature(degC)	
	Sensor Range	15 psig	-40 - +125 degC	
	Minimum	3.709	13.4	
	Maximum	4.385	13.9	
	Mean	3.925	13.7	
	Variance	0.0353	0.03	
	Std Deviation	0.1878	0.19	
	Gain	1.000000	1.000000	
	Offset	0.0000	0.00	
Rec#	Date/Time	Pressure(psi)	Temperature(degC)	
1	24-Jun-11 07:54:53	4.087	13.6	
2	24-Jun-11 07:54:54	4.385	13.6	
3	24-Jun-11 07:54:55	4.214	13.6	
4	24-Jun-11 07:54:56	4.193	13.6	
5	24-Jun-11 07:54:57	4.198	13.7	
6	24-Jun-11 07:54:58	4.193	13.7	
7	24-Jun-11 07:54:59	4.194	13.7	
8	24-Jun-11 07:55:00	4.182	13.7	
9	24-Jun-11 07:55:01	4.189	13.7	
10	24-Jun-11 07:55:02	4.189	13.8	
11	24-Jun-11 07:55:03	4.182	13.8	
12	24-Jun-11 07:55:04	4.181	13.8	
13	24-Jun-11 07:55:05	4.179	13.8	
14	24-Jun-11 07:55:06	4.173	13.8	
15	24-Jun-11 07:55:07	4.199	13.8	
16	24-Jun-11 07:55:08	4.169	13.8	
17	24-Jun-11 07:55:09	4.168	13.8	
18	24-Jun-11 07:55:10	4.167	13.8	
19	24-Jun-11 07:55:11	4.166	13.8	
20	24-Jun-11 07:55:12	4.164	13.8	
21	24-Jun-11 07:55:13	4.161	13.8	
22	24-Jun-11 07:55:14	4.160	13.8	
23	24-Jun-11 07:55:15	4.157	13.8	
24	24-Jun-11 07:55:16	4.155	13.8	
25	24-Jun-11 07:55:17	4.154	13.8	
26	24-Jun-11 07:55:18	4.152	13.8	
27	24-Jun-11 07:55:19	4.149	13.8	
28	24-Jun-11 07:55:20	4.147	13.8	
29	24-Jun-11 07:55:21	4.145	13.8	
30	24-Jun-11 07:55:22	4.143	13.8	
31	24-Jun-11 07:55:23	4.142	13.8	
32	24-Jun-11 07:55:24	4.140	13.8	
33	24-Jun-11 07:55:25	4.138	13.8	
34	24-Jun-11 07:55:26	4.135	13.8	
35	24-Jun-11 07:55:27	4.134	13.8	
36	24-Jun-11 07:55:28	4.132	13.8	
37	24-Jun-11 07:55:29	4.130	13.8	
38	24-Jun-11 07:55:30	4.128	13.8	

Sensor SN	Sensor Type	Sensor Name	Session	Records
2713002	PT2X	Aquistar	MMW8-IN	209
		Pressure(psi)	Temperature(degC)	
	Sensor Range	15 psig	-40 - +125 degC	
	Minimum	3.709	13.4	
	Maximum	4.385	13.9	
	Mean	3.925	13.7	
	Variance	0.0353	0.03	
	Std Deviation	0.1878	0.19	
	Gain	1.000000	1.000000	
	Offset	0.0000	0.00	
Rec#	Date/Time	Pressure(psi)	Temperature(degC)	
39	24-Jun-11 07:55:31	4.126	13.8	
40	24-Jun-11 07:55:32	4.124	13.8	
41	24-Jun-11 07:55:33	4.123	13.8	
42	24-Jun-11 07:55:34	4.121	13.8	
43	24-Jun-11 07:55:35	4.119	13.9	
44	24-Jun-11 07:55:36	4.117	13.9	
45	24-Jun-11 07:55:37	4.115	13.9	
46	24-Jun-11 07:55:38	4.113	13.9	
47	24-Jun-11 07:55:39	4.112	13.9	
48	24-Jun-11 07:55:40	4.110	13.9	
49	24-Jun-11 07:55:41	4.108	13.9	
50	24-Jun-11 07:55:42	4.106	13.9	
51	24-Jun-11 07:55:43	4.104	13.9	
52	24-Jun-11 07:55:44	4.102	13.9	
53	24-Jun-11 07:55:45	4.101	13.9	
54	24-Jun-11 07:55:46	4.099	13.9	
55	24-Jun-11 07:55:47	4.097	13.9	
56	24-Jun-11 07:55:48	4.095	13.9	
57	24-Jun-11 07:55:49	4.094	13.9	
58	24-Jun-11 07:55:50	4.092	13.9	
59	24-Jun-11 07:55:51	4.090	13.9	
60	24-Jun-11 07:55:52	4.088	13.9	
61	24-Jun-11 07:55:53	4.086	13.9	
62	24-Jun-11 07:55:54	4.085	13.9	
63	24-Jun-11 07:55:55	4.083	13.9	
64	24-Jun-11 07:55:56	4.081	13.9	
65	24-Jun-11 07:55:57	4.080	13.9	
66	24-Jun-11 07:55:58	4.078	13.9	
67	24-Jun-11 07:55:59	4.076	13.9	
68	24-Jun-11 07:56:00	4.075	13.9	
69	24-Jun-11 07:56:01	4.073	13.9	
70	24-Jun-11 07:56:02	4.071	13.9	
71	24-Jun-11 07:56:03	4.069	13.9	
72	24-Jun-11 07:56:04	4.067	13.9	
73	24-Jun-11 07:56:05	4.066	13.9	
74	24-Jun-11 07:56:06	4.064	13.9	
75	24-Jun-11 07:56:07	4.063	13.9	
76	24-Jun-11 07:56:08	4.061	13.9	

Sensor SN	Sensor Type	Sensor Name	Session	Records
2713002	PT2X	Aquistar	MMW8-IN	209
		Pressure(psi)	Temperature(degC)	
	Sensor Range	15 psig	-40 - +125 degC	
	Minimum	3.709	13.4	
	Maximum	4.385	13.9	
	Mean	3.925	13.7	
	Variance	0.0353	0.03	
	Std Deviation	0.1878	0.19	
	Gain	1.000000	1.000000	
	Offset	0.0000	0.00	
Rec#	Date/Time	Pressure(psi)	Temperature(degC)	
77	24-Jun-11 07:56:09	4.059	13.9	
78	24-Jun-11 07:56:10	4.057	13.9	
79	24-Jun-11 07:56:11	4.056	13.9	
80	24-Jun-11 07:56:12	4.054	13.9	
81	24-Jun-11 07:56:13	4.052	13.9	
82	24-Jun-11 07:56:14	4.051	13.9	
83	24-Jun-11 07:56:15	4.049	13.9	
84	24-Jun-11 07:56:16	4.048	13.9	
85	24-Jun-11 07:56:17	4.046	13.9	
86	24-Jun-11 07:56:18	4.044	13.9	
87	24-Jun-11 07:56:19	4.043	13.9	
88	24-Jun-11 07:56:20	4.041	13.9	
89	24-Jun-11 07:56:21	4.040	13.9	
90	24-Jun-11 07:56:22	4.038	13.9	
91	24-Jun-11 07:56:23	4.036	13.9	
92	24-Jun-11 07:56:24	4.035	13.9	
93	24-Jun-11 07:56:25	4.033	13.9	
94	24-Jun-11 07:56:26	4.031	13.9	
95	24-Jun-11 07:56:27	4.030	13.9	
96	24-Jun-11 07:56:28	4.029	13.9	
97	24-Jun-11 07:56:29	4.027	13.9	
98	24-Jun-11 07:56:30	4.025	13.9	
99	24-Jun-11 07:56:31	4.024	13.9	
100	24-Jun-11 07:56:32	4.023	13.9	
101	24-Jun-11 07:56:42	4.007	13.8	
102	24-Jun-11 07:56:52	3.992	13.8	
103	24-Jun-11 07:57:02	3.978	13.7	
104	24-Jun-11 07:57:12	3.965	13.7	
105	24-Jun-11 07:57:22	3.952	13.6	
106	24-Jun-11 07:57:32	3.939	13.6	
107	24-Jun-11 07:57:42	3.926	13.6	
108	24-Jun-11 07:57:52	3.915	13.6	
109	24-Jun-11 07:58:02	3.903	13.6	
110	24-Jun-11 07:58:12	3.892	13.6	
111	24-Jun-11 07:58:22	3.882	13.6	
112	24-Jun-11 07:58:32	3.872	13.6	
113	24-Jun-11 07:58:42	3.863	13.6	
114	24-Jun-11 07:58:52	3.854	13.6	

Sensor SN	Sensor Type	Sensor Name	Session	Records
2713002	PT2X	Aquistar	MMW8-IN	209
		Pressure(psi)	Temperature(degC)	
	Sensor Range	15 psig	-40 - +125 degC	
	Minimum	3.709	13.4	
	Maximum	4.385	13.9	
	Mean	3.925	13.7	
	Variance	0.0353	0.03	
	Std Deviation	0.1878	0.19	
	Gain	1.000000	1.000000	
	Offset	0.0000	0.00	
Rec#	Date/Time	Pressure(psi)	Temperature(degC)	
115	24-Jun-11 07:59:02	3.844	13.6	
116	24-Jun-11 07:59:12	3.836	13.6	
117	24-Jun-11 07:59:22	3.829	13.6	
118	24-Jun-11 07:59:32	3.821	13.5	
119	24-Jun-11 07:59:42	3.814	13.5	
120	24-Jun-11 07:59:52	3.807	13.6	
121	24-Jun-11 08:00:02	3.801	13.5	
122	24-Jun-11 08:00:12	3.795	13.5	
123	24-Jun-11 08:00:22	3.789	13.6	
124	24-Jun-11 08:00:32	3.783	13.5	
125	24-Jun-11 08:00:42	3.778	13.5	
126	24-Jun-11 08:00:52	3.774	13.5	
127	24-Jun-11 08:01:02	3.769	13.5	
128	24-Jun-11 08:01:12	3.766	13.5	
129	24-Jun-11 08:01:22	3.762	13.5	
130	24-Jun-11 08:01:32	3.758	13.5	
131	24-Jun-11 08:01:42	3.754	13.5	
132	24-Jun-11 08:01:52	3.751	13.5	
133	24-Jun-11 08:02:02	3.749	13.5	
134	24-Jun-11 08:02:12	3.745	13.5	
135	24-Jun-11 08:02:22	3.742	13.5	
136	24-Jun-11 08:02:32	3.741	13.5	
137	24-Jun-11 08:02:42	3.738	13.5	
138	24-Jun-11 08:02:52	3.736	13.5	
139	24-Jun-11 08:03:02	3.735	13.5	
140	24-Jun-11 08:03:12	3.733	13.5	
141	24-Jun-11 08:03:22	3.731	13.5	
142	24-Jun-11 08:03:32	3.730	13.5	
143	24-Jun-11 08:03:42	3.729	13.5	
144	24-Jun-11 08:03:52	3.728	13.5	
145	24-Jun-11 08:04:02	3.726	13.5	
146	24-Jun-11 08:04:12	3.725	13.5	
147	24-Jun-11 08:04:22	3.725	13.5	
148	24-Jun-11 08:04:32	3.723	13.5	
149	24-Jun-11 08:04:42	3.723	13.5	
150	24-Jun-11 08:04:52	3.722	13.5	
151	24-Jun-11 08:05:02	3.722	13.5	
152	24-Jun-11 08:05:12	3.721	13.5	

Sensor SN	Sensor Type	Sensor Name	Session	Records
2713002	PT2X	Aquistar	MMW8-IN	209
		Pressure(psi)	Temperature(degC)	
	Sensor Range	15 psig	-40 - +125 degC	
	Minimum	3.709	13.4	
	Maximum	4.385	13.9	
	Mean	3.925	13.7	
	Variance	0.0353	0.03	
	Std Deviation	0.1878	0.19	
	Gain	1.000000	1.000000	
	Offset	0.0000	0.00	
Rec#	Date/Time	Pressure(psi)	Temperature(degC)	
153	24-Jun-11 08:05:22	3.720	13.5	
154	24-Jun-11 08:05:32	3.720	13.5	
155	24-Jun-11 08:05:42	3.720	13.5	
156	24-Jun-11 08:05:52	3.719	13.5	
157	24-Jun-11 08:06:02	3.719	13.5	
158	24-Jun-11 08:06:12	3.719	13.5	
159	24-Jun-11 08:06:22	3.718	13.5	
160	24-Jun-11 08:06:32	3.717	13.5	
161	24-Jun-11 08:06:42	3.718	13.5	
162	24-Jun-11 08:06:52	3.717	13.5	
163	24-Jun-11 08:07:02	3.717	13.5	
164	24-Jun-11 08:07:12	3.717	13.5	
165	24-Jun-11 08:07:22	3.717	13.5	
166	24-Jun-11 08:07:32	3.716	13.5	
167	24-Jun-11 08:07:42	3.716	13.5	
168	24-Jun-11 08:07:52	3.716	13.5	
169	24-Jun-11 08:08:02	3.716	13.5	
170	24-Jun-11 08:08:12	3.715	13.5	
171	24-Jun-11 08:08:22	3.715	13.5	
172	24-Jun-11 08:08:32	3.716	13.5	
173	24-Jun-11 08:08:42	3.715	13.5	
174	24-Jun-11 08:08:52	3.715	13.5	
175	24-Jun-11 08:09:02	3.715	13.5	
176	24-Jun-11 08:09:12	3.715	13.5	
177	24-Jun-11 08:09:22	3.715	13.5	
178	24-Jun-11 08:09:32	3.715	13.4	
179	24-Jun-11 08:09:42	3.714	13.5	
180	24-Jun-11 08:09:52	3.714	13.4	
181	24-Jun-11 08:10:02	3.714	13.5	
182	24-Jun-11 08:10:12	3.714	13.4	
183	24-Jun-11 08:10:22	3.714	13.5	
184	24-Jun-11 08:10:32	3.714	13.5	
185	24-Jun-11 08:10:42	3.714	13.4	
186	24-Jun-11 08:10:52	3.714	13.4	
187	24-Jun-11 08:11:02	3.714	13.5	
188	24-Jun-11 08:11:12	3.714	13.5	
189	24-Jun-11 08:11:22	3.713	13.5	
190	24-Jun-11 08:11:32	3.713	13.4	

Sensor SN	Sensor Type	Sensor Name	Session	Records
2713002	PT2X	Aquistar	MMW8-IN	209
		Pressure(psi)	Temperature(degC)	
	Sensor Range	15 psig	-40 - +125 degC	
	Minimum	3.709	13.4	
	Maximum	4.385	13.9	
	Mean	3.925	13.7	
	Variance	0.0353	0.03	
	Std Deviation	0.1878	0.19	
	Gain	1.000000	1.000000	
	Offset	0.0000	0.00	
Rec#	Date/Time	Pressure(psi)	Temperature(degC)	
191	24-Jun-11 08:11:42	3.713	13.4	
192	24-Jun-11 08:11:52	3.713	13.4	
193	24-Jun-11 08:12:02	3.713	13.5	
194	24-Jun-11 08:12:12	3.713	13.4	
195	24-Jun-11 08:12:22	3.713	13.5	
196	24-Jun-11 08:12:32	3.713	13.4	
197	24-Jun-11 08:12:42	3.713	13.4	
198	24-Jun-11 08:12:52	3.713	13.5	
199	24-Jun-11 08:13:02	3.712	13.4	
200	24-Jun-11 08:13:12	3.713	13.5	
201	24-Jun-11 08:14:12	3.712	13.4	
202	24-Jun-11 08:15:12	3.712	13.4	
203	24-Jun-11 08:16:12	3.712	13.4	
204	24-Jun-11 08:17:12	3.711	13.4	
205	24-Jun-11 08:18:12	3.710	13.4	
206	24-Jun-11 08:19:12	3.710	13.4	
207	24-Jun-11 08:20:12	3.709	13.4	
208	24-Jun-11 08:21:12	3.710	13.5	
209	24-Jun-11 08:22:12	3.709	13.5	

Sensor SN	Sensor Type	Sensor Name	Session	Records
2713002	PT2X	Aquistar	MMW8-OUT	135
		Pressure(psi)	Temperature(degC)	
	Sensor Range	15 psig	-40 - +125 degC	
	Minimum	2.860	13.4	
	Maximum	3.707	13.8	
	Mean	3.511	13.7	
	Variance	0.0061	0.02	
	Std Deviation	0.0781	0.13	
	Gain	1.000000	1.000000	
	Offset	0.0000	0.00	
Rec#	Date/Time	Pressure(psi)	Temperature(degC)	
1	24-Jun-11 08:25:00	3.707	13.4	
2	24-Jun-11 08:25:01	2.860	13.5	
3	24-Jun-11 08:25:02	3.117	13.5	
4	24-Jun-11 08:25:03	3.308	13.5	
5	24-Jun-11 08:25:04	3.403	13.6	
6	24-Jun-11 08:25:05	3.443	13.6	
7	24-Jun-11 08:25:06	3.460	13.5	
8	24-Jun-11 08:25:07	3.467	13.6	
9	24-Jun-11 08:25:08	3.470	13.6	
10	24-Jun-11 08:25:09	3.471	13.6	
11	24-Jun-11 08:25:10	3.473	13.6	
12	24-Jun-11 08:25:11	3.474	13.6	
13	24-Jun-11 08:25:12	3.475	13.6	
14	24-Jun-11 08:25:13	3.477	13.6	
15	24-Jun-11 08:25:14	3.478	13.6	
16	24-Jun-11 08:25:15	3.479	13.6	
17	24-Jun-11 08:25:16	3.480	13.6	
18	24-Jun-11 08:25:17	3.481	13.6	
19	24-Jun-11 08:25:18	3.482	13.6	
20	24-Jun-11 08:25:19	3.483	13.6	
21	24-Jun-11 08:25:20	3.484	13.6	
22	24-Jun-11 08:25:21	3.485	13.6	
23	24-Jun-11 08:25:22	3.485	13.6	
24	24-Jun-11 08:25:23	3.486	13.7	
25	24-Jun-11 08:25:24	3.487	13.7	
26	24-Jun-11 08:25:25	3.488	13.7	
27	24-Jun-11 08:25:26	3.488	13.7	
28	24-Jun-11 08:25:27	3.489	13.7	
29	24-Jun-11 08:25:28	3.490	13.7	
30	24-Jun-11 08:25:29	3.490	13.7	
31	24-Jun-11 08:25:30	3.491	13.7	
32	24-Jun-11 08:25:31	3.492	13.7	
33	24-Jun-11 08:25:32	3.493	13.7	
34	24-Jun-11 08:25:33	3.493	13.7	
35	24-Jun-11 08:25:34	3.494	13.7	
36	24-Jun-11 08:25:35	3.495	13.7	
37	24-Jun-11 08:25:36	3.495	13.7	
38	24-Jun-11 08:25:37	3.496	13.7	



Sensor SN	Sensor Type	Sensor Name	Session	Records
2713002	PT2X	Aquistar	MMW8-OUT	135
		Pressure(psi)	Temperature(degC)	
	Sensor Range	15 psig	-40 - +125 degC	
	Minimum	2.860	13.4	
	Maximum	3.707	13.8	
	Mean	3.511	13.7	
	Variance	0.0061	0.02	
	Std Deviation	0.0781	0.13	
	Gain	1.000000	1.000000	
	Offset	0.0000	0.00	
Rec#	Date/Time	Pressure(psi)	Temperature(degC)	
39	24-Jun-11 08:25:38	3.497	13.7	
40	24-Jun-11 08:25:39	3.497	13.7	
41	24-Jun-11 08:25:40	3.498	13.7	
42	24-Jun-11 08:25:41	3.498	13.7	
43	24-Jun-11 08:25:42	3.499	13.7	
44	24-Jun-11 08:25:43	3.500	13.8	
45	24-Jun-11 08:25:44	3.501	13.8	
46	24-Jun-11 08:25:45	3.501	13.8	
47	24-Jun-11 08:25:46	3.502	13.8	
48	24-Jun-11 08:25:47	3.502	13.8	
49	24-Jun-11 08:25:48	3.503	13.8	
50	24-Jun-11 08:25:49	3.503	13.8	
51	24-Jun-11 08:25:50	3.504	13.8	
52	24-Jun-11 08:25:51	3.504	13.8	
53	24-Jun-11 08:25:52	3.505	13.8	
54	24-Jun-11 08:25:53	3.506	13.8	
55	24-Jun-11 08:25:54	3.506	13.8	
56	24-Jun-11 08:25:55	3.507	13.8	
57	24-Jun-11 08:25:56	3.508	13.8	
58	24-Jun-11 08:25:57	3.508	13.8	
59	24-Jun-11 08:25:58	3.509	13.8	
60	24-Jun-11 08:25:59	3.509	13.8	
61	24-Jun-11 08:26:00	3.510	13.8	
62	24-Jun-11 08:26:01	3.511	13.8	
63	24-Jun-11 08:26:02	3.511	13.8	
64	24-Jun-11 08:26:03	3.511	13.8	
65	24-Jun-11 08:26:04	3.512	13.8	
66	24-Jun-11 08:26:05	3.512	13.8	
67	24-Jun-11 08:26:06	3.513	13.8	
68	24-Jun-11 08:26:07	3.513	13.8	
69	24-Jun-11 08:26:08	3.514	13.8	
70	24-Jun-11 08:26:09	3.514	13.8	
71	24-Jun-11 08:26:10	3.515	13.8	
72	24-Jun-11 08:26:11	3.515	13.8	
73	24-Jun-11 08:26:12	3.516	13.8	
74	24-Jun-11 08:26:13	3.516	13.8	
75	24-Jun-11 08:26:14	3.517	13.8	
76	24-Jun-11 08:26:15	3.517	13.8	

Sensor SN	Sensor Type	Sensor Name	Session	Records
2713002	PT2X	Aquistar	MMW8-OUT	135
		Pressure(psi)	Temperature(degC)	
	Sensor Range	15 psig	-40 - +125 degC	
	Minimum	2.860	13.4	
	Maximum	3.707	13.8	
	Mean	3.511	13.7	
	Variance	0.0061	0.02	
	Std Deviation	0.0781	0.13	
	Gain	1.000000	1.000000	
	Offset	0.0000	0.00	
Rec#	Date/Time	Pressure(psi)	Temperature(degC)	
77	24-Jun-11 08:26:16	3.518	13.8	
78	24-Jun-11 08:26:17	3.518	13.8	
79	24-Jun-11 08:26:18	3.519	13.8	
80	24-Jun-11 08:26:19	3.520	13.8	
81	24-Jun-11 08:26:20	3.520	13.8	
82	24-Jun-11 08:26:21	3.520	13.8	
83	24-Jun-11 08:26:22	3.521	13.8	
84	24-Jun-11 08:26:23	3.521	13.8	
85	24-Jun-11 08:26:24	3.522	13.8	
86	24-Jun-11 08:26:25	3.522	13.8	
87	24-Jun-11 08:26:26	3.522	13.8	
88	24-Jun-11 08:26:27	3.523	13.8	
89	24-Jun-11 08:26:28	3.524	13.8	
90	24-Jun-11 08:26:29	3.524	13.8	
91	24-Jun-11 08:26:30	3.525	13.8	
92	24-Jun-11 08:26:31	3.525	13.8	
93	24-Jun-11 08:26:32	3.525	13.8	
94	24-Jun-11 08:26:33	3.526	13.8	
95	24-Jun-11 08:26:34	3.527	13.8	
96	24-Jun-11 08:26:35	3.527	13.8	
97	24-Jun-11 08:26:36	3.527	13.8	
98	24-Jun-11 08:26:37	3.528	13.8	
99	24-Jun-11 08:26:38	3.528	13.8	
100	24-Jun-11 08:26:39	3.529	13.8	
101	24-Jun-11 08:26:49	3.533	13.7	
102	24-Jun-11 08:26:59	3.537	13.6	
103	24-Jun-11 08:27:09	3.540	13.6	
104	24-Jun-11 08:27:19	3.544	13.6	
105	24-Jun-11 08:27:29	3.547	13.6	
106	24-Jun-11 08:27:39	3.549	13.6	
107	24-Jun-11 08:27:49	3.553	13.5	
108	24-Jun-11 08:27:59	3.555	13.6	
109	24-Jun-11 08:28:09	3.557	13.5	
110	24-Jun-11 08:28:19	3.560	13.5	
111	24-Jun-11 08:28:29	3.562	13.5	
112	24-Jun-11 08:28:39	3.563	13.5	
113	24-Jun-11 08:28:49	3.566	13.5	
114	24-Jun-11 08:28:59	3.567	13.5	

Sensor SN	Sensor Type	Sensor Name	Session	Records
2713002	PT2X	Aquistar	MMW8-OUT	135
		Pressure(psi)	Temperature(degC)	
	Sensor Range	15 psig	-40 - +125 degC	
	Minimum	2.860	13.4	
	Maximum	3.707	13.8	
	Mean	3.511	13.7	
	Variance	0.0061	0.02	
	Std Deviation	0.0781	0.13	
	Gain	1.000000	1.000000	
	Offset	0.0000	0.00	
Rec#	Date/Time	Pressure(psi)	Temperature(degC)	
115	24-Jun-11 08:29:09	3.569	13.5	
116	24-Jun-11 08:29:19	3.570	13.5	
117	24-Jun-11 08:29:29	3.571	13.5	
118	24-Jun-11 08:29:39	3.572	13.5	
119	24-Jun-11 08:29:49	3.573	13.5	
120	24-Jun-11 08:29:59	3.574	13.5	
121	24-Jun-11 08:30:09	3.575	13.4	
122	24-Jun-11 08:30:19	3.576	13.4	
123	24-Jun-11 08:30:29	3.576	13.4	
124	24-Jun-11 08:30:39	3.577	13.5	
125	24-Jun-11 08:30:49	3.578	13.4	
126	24-Jun-11 08:30:59	3.578	13.4	
127	24-Jun-11 08:31:09	3.579	13.4	
128	24-Jun-11 08:31:19	3.579	13.4	
129	24-Jun-11 08:31:29	3.580	13.4	
130	24-Jun-11 08:31:39	3.579	13.6	
131	24-Jun-11 08:31:49	3.580	13.7	
132	24-Jun-11 08:31:59	3.581	13.7	
133	24-Jun-11 08:32:09	3.581	13.6	
134	24-Jun-11 08:32:19	3.581	13.6	
135	24-Jun-11 08:32:29	3.582	13.6	

Sensor SN		Sensor Type		Sensor Name		Session		Records	
2713002		PT2X		Aquistar		MMW109-IN		300	
		Pressure(psi)	Temperature(degC)						
	Sensor Range	15 psig	-40 - +125 degC						
	Minimum	5.189	13.9						
	Maximum	5.642	14.4						
	Mean	5.531	14.0						
	Variance	0.0080	0.03						
	Std Deviation	0.0894	0.17						
	Gain	1.000000	1.000000						
	Offset	0.0000	0.00						
Rec#	Date/Time	Pressure(psi)	Temperature(degC)						
1	24-Jun-11 09:07:17	5.189	14.0						
2	24-Jun-11 09:07:18	5.189	14.0						
3	24-Jun-11 09:07:19	5.190	14.0						
4	24-Jun-11 09:07:20	5.189	14.1						
5	24-Jun-11 09:07:21	5.189	14.1						
6	24-Jun-11 09:07:22	5.189	14.1						
7	24-Jun-11 09:07:23	5.189	14.1						
8	24-Jun-11 09:07:24	5.189	14.1						
9	24-Jun-11 09:07:25	5.278	14.1						
10	24-Jun-11 09:07:26	5.642	14.1						
11	24-Jun-11 09:07:27	5.604	14.1						
12	24-Jun-11 09:07:28	5.600	14.1						
13	24-Jun-11 09:07:29	5.599	14.1						
14	24-Jun-11 09:07:30	5.599	14.1						
15	24-Jun-11 09:07:31	5.599	14.1						
16	24-Jun-11 09:07:32	5.599	14.1						
17	24-Jun-11 09:07:33	5.599	14.1						
18	24-Jun-11 09:07:34	5.598	14.1						
19	24-Jun-11 09:07:35	5.599	14.1						
20	24-Jun-11 09:07:36	5.599	14.1						
21	24-Jun-11 09:07:37	5.599	14.1						
22	24-Jun-11 09:07:38	5.600	14.1						
23	24-Jun-11 09:07:39	5.599	14.2						
24	24-Jun-11 09:07:40	5.599	14.2						
25	24-Jun-11 09:07:41	5.599	14.2						
26	24-Jun-11 09:07:42	5.598	14.2						
27	24-Jun-11 09:07:43	5.598	14.2						
28	24-Jun-11 09:07:44	5.598	14.2						
29	24-Jun-11 09:07:45	5.598	14.2						
30	24-Jun-11 09:07:46	5.598	14.2						
31	24-Jun-11 09:07:47	5.598	14.2						
32	24-Jun-11 09:07:48	5.597	14.2						
33	24-Jun-11 09:07:49	5.598	14.2						
34	24-Jun-11 09:07:50	5.597	14.2						
35	24-Jun-11 09:07:51	5.597	14.2						
36	24-Jun-11 09:07:52	5.597	14.3						
37	24-Jun-11 09:07:53	5.597	14.2						
38	24-Jun-11 09:07:54	5.597	14.3						

Sensor SN	Sensor Type	Sensor Name	Session	Records
2713002	PT2X	Aquistar	MMW109-IN	300
		Pressure(psi)	Temperature(degC)	
	Sensor Range	15 psig	-40 - +125 degC	
	Minimum	5.189	13.9	
	Maximum	5.642	14.4	
	Mean	5.531	14.0	
	Variance	0.0080	0.03	
	Std Deviation	0.0894	0.17	
	Gain	1.000000	1.000000	
	Offset	0.0000	0.00	
Rec#	Date/Time	Pressure(psi)	Temperature(degC)	
39	24-Jun-11 09:07:55	5.597	14.3	
40	24-Jun-11 09:07:56	5.597	14.3	
41	24-Jun-11 09:07:57	5.597	14.3	
42	24-Jun-11 09:07:58	5.597	14.3	
43	24-Jun-11 09:07:59	5.597	14.3	
44	24-Jun-11 09:08:00	5.597	14.3	
45	24-Jun-11 09:08:01	5.597	14.3	
46	24-Jun-11 09:08:02	5.597	14.3	
47	24-Jun-11 09:08:03	5.597	14.3	
48	24-Jun-11 09:08:04	5.597	14.3	
49	24-Jun-11 09:08:05	5.597	14.3	
50	24-Jun-11 09:08:06	5.596	14.3	
51	24-Jun-11 09:08:07	5.596	14.3	
52	24-Jun-11 09:08:08	5.596	14.3	
53	24-Jun-11 09:08:09	5.597	14.3	
54	24-Jun-11 09:08:10	5.596	14.3	
55	24-Jun-11 09:08:11	5.596	14.3	
56	24-Jun-11 09:08:12	5.596	14.3	
57	24-Jun-11 09:08:13	5.596	14.3	
58	24-Jun-11 09:08:14	5.596	14.3	
59	24-Jun-11 09:08:15	5.596	14.3	
60	24-Jun-11 09:08:16	5.595	14.3	
61	24-Jun-11 09:08:17	5.595	14.3	
62	24-Jun-11 09:08:18	5.595	14.3	
63	24-Jun-11 09:08:19	5.596	14.3	
64	24-Jun-11 09:08:20	5.596	14.3	
65	24-Jun-11 09:08:21	5.595	14.3	
66	24-Jun-11 09:08:22	5.595	14.3	
67	24-Jun-11 09:08:23	5.596	14.3	
68	24-Jun-11 09:08:24	5.595	14.3	
69	24-Jun-11 09:08:25	5.595	14.3	
70	24-Jun-11 09:08:26	5.596	14.3	
71	24-Jun-11 09:08:27	5.595	14.3	
72	24-Jun-11 09:08:28	5.595	14.3	
73	24-Jun-11 09:08:29	5.595	14.3	
74	24-Jun-11 09:08:30	5.595	14.3	
75	24-Jun-11 09:08:31	5.596	14.3	
76	24-Jun-11 09:08:32	5.595	14.3	

Sensor SN	Sensor Type	Sensor Name	Session	Records
2713002	PT2X	Aquistar	MMW109-IN	300
		Pressure(psi)	Temperature(degC)	
	Sensor Range	15 psig	-40 - +125 degC	
	Minimum	5.189	13.9	
	Maximum	5.642	14.4	
	Mean	5.531	14.0	
	Variance	0.0080	0.03	
	Std Deviation	0.0894	0.17	
	Gain	1.000000	1.000000	
	Offset	0.0000	0.00	
Rec#	Date/Time	Pressure(psi)	Temperature(degC)	
77	24-Jun-11 09:08:33	5.595	14.3	
78	24-Jun-11 09:08:34	5.595	14.3	
79	24-Jun-11 09:08:35	5.595	14.3	
80	24-Jun-11 09:08:36	5.596	14.3	
81	24-Jun-11 09:08:37	5.595	14.3	
82	24-Jun-11 09:08:38	5.595	14.3	
83	24-Jun-11 09:08:39	5.595	14.3	
84	24-Jun-11 09:08:40	5.595	14.3	
85	24-Jun-11 09:08:41	5.595	14.3	
86	24-Jun-11 09:08:42	5.595	14.3	
87	24-Jun-11 09:08:43	5.595	14.3	
88	24-Jun-11 09:08:44	5.595	14.3	
89	24-Jun-11 09:08:45	5.595	14.3	
90	24-Jun-11 09:08:46	5.595	14.3	
91	24-Jun-11 09:08:47	5.595	14.4	
92	24-Jun-11 09:08:48	5.595	14.3	
93	24-Jun-11 09:08:49	5.594	14.4	
94	24-Jun-11 09:08:50	5.595	14.4	
95	24-Jun-11 09:08:51	5.594	14.3	
96	24-Jun-11 09:08:52	5.594	14.4	
97	24-Jun-11 09:08:53	5.594	14.3	
98	24-Jun-11 09:08:54	5.594	14.3	
99	24-Jun-11 09:08:55	5.594	14.4	
100	24-Jun-11 09:08:56	5.594	14.4	
101	24-Jun-11 09:09:06	5.594	14.2	
102	24-Jun-11 09:09:16	5.593	14.2	
103	24-Jun-11 09:09:26	5.592	14.1	
104	24-Jun-11 09:09:36	5.591	14.3	
105	24-Jun-11 09:09:46	5.591	14.1	
106	24-Jun-11 09:09:56	5.591	14.1	
107	24-Jun-11 09:10:06	5.591	14.1	
108	24-Jun-11 09:10:16	5.590	14.1	
109	24-Jun-11 09:10:26	5.589	14.1	
110	24-Jun-11 09:10:36	5.589	14.1	
111	24-Jun-11 09:10:46	5.589	14.1	
112	24-Jun-11 09:10:56	5.588	14.0	
113	24-Jun-11 09:11:06	5.588	14.0	
114	24-Jun-11 09:11:16	5.587	14.0	

Sensor SN	Sensor Type	Sensor Name	Session	Records
2713002	PT2X	Aquistar	MMW109-IN	300
		Pressure(psi)	Temperature(degC)	
	Sensor Range	15 psig	-40 - +125 degC	
	Minimum	5.189	13.9	
	Maximum	5.642	14.4	
	Mean	5.531	14.0	
	Variance	0.0080	0.03	
	Std Deviation	0.0894	0.17	
	Gain	1.000000	1.000000	
	Offset	0.0000	0.00	
Rec#	Date/Time	Pressure(psi)	Temperature(degC)	
115	24-Jun-11 09:11:26	5.587	14.0	
116	24-Jun-11 09:11:36	5.586	14.0	
117	24-Jun-11 09:11:46	5.585	14.0	
118	24-Jun-11 09:11:56	5.585	14.0	
119	24-Jun-11 09:12:06	5.585	14.0	
120	24-Jun-11 09:12:16	5.585	14.0	
121	24-Jun-11 09:12:26	5.584	14.0	
122	24-Jun-11 09:12:36	5.584	14.0	
123	24-Jun-11 09:12:46	5.583	14.1	
124	24-Jun-11 09:12:56	5.583	14.0	
125	24-Jun-11 09:13:06	5.581	14.0	
126	24-Jun-11 09:13:16	5.582	14.0	
127	24-Jun-11 09:13:26	5.582	14.0	
128	24-Jun-11 09:13:36	5.580	14.0	
129	24-Jun-11 09:13:46	5.580	14.0	
130	24-Jun-11 09:13:56	5.579	13.9	
131	24-Jun-11 09:14:06	5.579	14.0	
132	24-Jun-11 09:14:16	5.579	14.0	
133	24-Jun-11 09:14:26	5.579	13.9	
134	24-Jun-11 09:14:36	5.578	13.9	
135	24-Jun-11 09:14:46	5.578	13.9	
136	24-Jun-11 09:14:56	5.577	14.0	
137	24-Jun-11 09:15:06	5.577	13.9	
138	24-Jun-11 09:15:16	5.577	13.9	
139	24-Jun-11 09:15:26	5.576	14.0	
140	24-Jun-11 09:15:36	5.576	14.0	
141	24-Jun-11 09:15:46	5.575	13.9	
142	24-Jun-11 09:15:56	5.574	14.0	
143	24-Jun-11 09:16:06	5.574	13.9	
144	24-Jun-11 09:16:16	5.573	13.9	
145	24-Jun-11 09:16:26	5.573	14.1	
146	24-Jun-11 09:16:36	5.573	14.0	
147	24-Jun-11 09:16:46	5.572	14.0	
148	24-Jun-11 09:16:56	5.572	14.0	
149	24-Jun-11 09:17:06	5.571	14.0	
150	24-Jun-11 09:17:16	5.571	14.0	
151	24-Jun-11 09:17:26	5.571	14.0	
152	24-Jun-11 09:17:36	5.570	13.9	



Sensor SN	Sensor Type	Sensor Name	Session	Records
2713002	PT2X	Aquistar	MMW109-IN	300
		Pressure(psi)	Temperature(degC)	
	Sensor Range	15 psig	-40 - +125 degC	
	Minimum	5.189	13.9	
	Maximum	5.642	14.4	
	Mean	5.531	14.0	
	Variance	0.0080	0.03	
	Std Deviation	0.0894	0.17	
	Gain	1.000000	1.000000	
	Offset	0.0000	0.00	
Rec#	Date/Time	Pressure(psi)	Temperature(degC)	
153	24-Jun-11 09:17:46	5.570	14.0	
154	24-Jun-11 09:17:56	5.570	14.0	
155	24-Jun-11 09:18:06	5.569	14.0	
156	24-Jun-11 09:18:16	5.569	14.0	
157	24-Jun-11 09:18:26	5.568	13.9	
158	24-Jun-11 09:18:36	5.570	13.9	
159	24-Jun-11 09:18:46	5.572	14.0	
160	24-Jun-11 09:18:56	5.571	13.9	
161	24-Jun-11 09:19:06	5.571	13.9	
162	24-Jun-11 09:19:16	5.571	13.9	
163	24-Jun-11 09:19:26	5.570	13.9	
164	24-Jun-11 09:19:36	5.570	13.9	
165	24-Jun-11 09:19:46	5.569	14.0	
166	24-Jun-11 09:19:56	5.569	13.9	
167	24-Jun-11 09:20:06	5.569	13.9	
168	24-Jun-11 09:20:16	5.568	13.9	
169	24-Jun-11 09:20:26	5.568	13.9	
170	24-Jun-11 09:20:36	5.568	13.9	
171	24-Jun-11 09:20:46	5.567	13.9	
172	24-Jun-11 09:20:56	5.567	13.9	
173	24-Jun-11 09:21:06	5.566	13.9	
174	24-Jun-11 09:21:16	5.566	13.9	
175	24-Jun-11 09:21:26	5.565	13.9	
176	24-Jun-11 09:21:36	5.565	13.9	
177	24-Jun-11 09:21:46	5.565	13.9	
178	24-Jun-11 09:21:56	5.564	13.9	
179	24-Jun-11 09:22:06	5.564	13.9	
180	24-Jun-11 09:22:16	5.564	13.9	
181	24-Jun-11 09:22:26	5.563	13.9	
182	24-Jun-11 09:22:36	5.563	13.9	
183	24-Jun-11 09:22:46	5.562	13.9	
184	24-Jun-11 09:22:56	5.562	13.9	
185	24-Jun-11 09:23:06	5.561	13.9	
186	24-Jun-11 09:23:16	5.562	13.9	
187	24-Jun-11 09:23:26	5.561	13.9	
188	24-Jun-11 09:23:36	5.560	13.9	
189	24-Jun-11 09:23:46	5.560	13.9	
190	24-Jun-11 09:23:56	5.560	13.9	



Sensor SN	Sensor Type	Sensor Name	Session	Records
2713002	PT2X	Aquistar	MMW109-IN	300
		Pressure(psi)	Temperature(degC)	
	Sensor Range	15 psig	-40 - +125 degC	
	Minimum	5.189	13.9	
	Maximum	5.642	14.4	
	Mean	5.531	14.0	
	Variance	0.0080	0.03	
	Std Deviation	0.0894	0.17	
	Gain	1.000000	1.000000	
	Offset	0.0000	0.00	
Rec#	Date/Time	Pressure(psi)	Temperature(degC)	
191	24-Jun-11 09:24:06	5.560	13.9	
192	24-Jun-11 09:24:16	5.558	13.9	
193	24-Jun-11 09:24:26	5.558	13.9	
194	24-Jun-11 09:24:36	5.558	13.9	
195	24-Jun-11 09:24:46	5.558	13.9	
196	24-Jun-11 09:24:56	5.557	13.9	
197	24-Jun-11 09:25:06	5.557	13.9	
198	24-Jun-11 09:25:16	5.557	13.9	
199	24-Jun-11 09:25:26	5.556	13.9	
200	24-Jun-11 09:25:36	5.556	13.9	
201	24-Jun-11 09:26:36	5.554	13.9	
202	24-Jun-11 09:27:36	5.551	13.9	
203	24-Jun-11 09:28:36	5.549	13.9	
204	24-Jun-11 09:29:36	5.547	13.9	
205	24-Jun-11 09:30:36	5.544	13.9	
206	24-Jun-11 09:31:36	5.542	13.9	
207	24-Jun-11 09:32:36	5.540	13.9	
208	24-Jun-11 09:33:36	5.538	13.9	
209	24-Jun-11 09:34:36	5.535	13.9	
210	24-Jun-11 09:35:36	5.533	13.9	
211	24-Jun-11 09:36:36	5.531	13.9	
212	24-Jun-11 09:37:36	5.529	13.9	
213	24-Jun-11 09:38:36	5.527	13.9	
214	24-Jun-11 09:39:36	5.525	13.9	
215	24-Jun-11 09:40:36	5.523	13.9	
216	24-Jun-11 09:41:36	5.521	13.9	
217	24-Jun-11 09:42:36	5.518	13.9	
218	24-Jun-11 09:43:36	5.516	13.9	
219	24-Jun-11 09:44:36	5.514	13.9	
220	24-Jun-11 09:45:36	5.512	13.9	
221	24-Jun-11 09:46:36	5.510	13.9	
222	24-Jun-11 09:47:36	5.508	13.9	
223	24-Jun-11 09:48:36	5.506	13.9	
224	24-Jun-11 09:49:36	5.505	13.9	
225	24-Jun-11 09:50:36	5.501	14.1	
226	24-Jun-11 09:51:36	5.499	13.9	
227	24-Jun-11 09:52:36	5.497	13.9	
228	24-Jun-11 09:53:36	5.496	13.9	

Sensor SN	Sensor Type	Sensor Name	Session	Records
2713002	PT2X	Aquistar	MMW109-IN	300
		Pressure(psi)	Temperature(degC)	
	Sensor Range	15 psig	-40 - +125 degC	
	Minimum	5.189	13.9	
	Maximum	5.642	14.4	
	Mean	5.531	14.0	
	Variance	0.0080	0.03	
	Std Deviation	0.0894	0.17	
	Gain	1.000000	1.000000	
	Offset	0.0000	0.00	
Rec#	Date/Time	Pressure(psi)	Temperature(degC)	
229	24-Jun-11 09:54:36	5.494	13.9	
230	24-Jun-11 09:55:36	5.490	13.9	
231	24-Jun-11 09:56:36	5.488	13.9	
232	24-Jun-11 09:57:36	5.486	13.9	
233	24-Jun-11 09:58:36	5.485	13.9	
234	24-Jun-11 09:59:36	5.482	13.9	
235	24-Jun-11 10:00:36	5.481	13.9	
236	24-Jun-11 10:01:36	5.479	13.9	
237	24-Jun-11 10:02:36	5.476	13.9	
238	24-Jun-11 10:03:36	5.475	13.9	
239	24-Jun-11 10:04:36	5.473	13.9	
240	24-Jun-11 10:05:36	5.471	13.9	
241	24-Jun-11 10:06:36	5.469	13.9	
242	24-Jun-11 10:07:36	5.467	13.9	
243	24-Jun-11 10:08:36	5.465	13.9	
244	24-Jun-11 10:09:36	5.464	13.9	
245	24-Jun-11 10:10:36	5.462	13.9	
246	24-Jun-11 10:11:36	5.460	13.9	
247	24-Jun-11 10:12:36	5.458	13.9	
248	24-Jun-11 10:13:36	5.457	13.9	
249	24-Jun-11 10:14:36	5.454	13.9	
250	24-Jun-11 10:15:36	5.453	13.9	
251	24-Jun-11 10:16:36	5.451	13.9	
252	24-Jun-11 10:17:36	5.451	13.9	
253	24-Jun-11 10:18:36	5.448	13.9	
254	24-Jun-11 10:19:36	5.446	13.9	
255	24-Jun-11 10:20:36	5.444	13.9	
256	24-Jun-11 10:21:36	5.442	13.9	
257	24-Jun-11 10:22:36	5.441	13.9	
258	24-Jun-11 10:23:36	5.440	13.9	
259	24-Jun-11 10:24:36	5.438	13.9	
260	24-Jun-11 10:25:36	5.436	13.9	
261	24-Jun-11 10:26:36	5.435	13.9	
262	24-Jun-11 10:27:36	5.433	13.9	
263	24-Jun-11 10:28:36	5.432	13.9	
264	24-Jun-11 10:29:36	5.430	13.9	
265	24-Jun-11 10:30:36	5.429	13.9	
266	24-Jun-11 10:31:36	5.427	13.9	

Sensor SN	Sensor Type	Sensor Name	Session	Records
2713002	PT2X	Aquistar	MMW109-IN	300
		Pressure(psi)	Temperature(degC)	
	Sensor Range	15 psig	-40 - +125 degC	
	Minimum	5.189	13.9	
	Maximum	5.642	14.4	
	Mean	5.531	14.0	
	Variance	0.0080	0.03	
	Std Deviation	0.0894	0.17	
	Gain	1.000000	1.000000	
	Offset	0.0000	0.00	
Rec#	Date/Time	Pressure(psi)	Temperature(degC)	
267	24-Jun-11 10:32:36	5.426	13.9	
268	24-Jun-11 10:33:36	5.423	13.9	
269	24-Jun-11 10:34:36	5.422	13.9	
270	24-Jun-11 10:35:36	5.421	13.9	
271	24-Jun-11 10:36:36	5.419	13.9	
272	24-Jun-11 10:37:36	5.418	13.9	
273	24-Jun-11 10:38:36	5.416	13.9	
274	24-Jun-11 10:39:36	5.414	13.9	
275	24-Jun-11 10:40:36	5.413	13.9	
276	24-Jun-11 10:41:36	5.412	13.9	
277	24-Jun-11 10:42:36	5.410	13.9	
278	24-Jun-11 10:43:36	5.409	13.9	
279	24-Jun-11 10:44:36	5.407	13.9	
280	24-Jun-11 10:45:36	5.406	13.9	
281	24-Jun-11 10:46:36	5.404	13.9	
282	24-Jun-11 10:47:36	5.401	13.9	
283	24-Jun-11 10:48:36	5.401	13.9	
284	24-Jun-11 10:49:36	5.399	13.9	
285	24-Jun-11 10:50:36	5.398	13.9	
286	24-Jun-11 10:51:36	5.396	13.9	
287	24-Jun-11 10:52:36	5.395	13.9	
288	24-Jun-11 10:53:36	5.394	13.9	
289	24-Jun-11 10:54:36	5.392	13.9	
290	24-Jun-11 10:55:36	5.391	13.9	
291	24-Jun-11 10:56:36	5.390	13.9	
292	24-Jun-11 10:57:36	5.388	13.9	
293	24-Jun-11 10:58:36	5.387	13.9	
294	24-Jun-11 10:59:36	5.385	13.9	
295	24-Jun-11 11:00:36	5.384	13.9	
296	24-Jun-11 11:01:36	5.382	13.9	
297	24-Jun-11 11:02:36	5.381	13.9	
298	24-Jun-11 11:03:36	5.380	13.9	
299	24-Jun-11 11:04:36	5.379	13.9	
300	24-Jun-11 11:05:36	5.377	13.9	

Sensor SN	Sensor Type	Sensor Name	Session	Records
2549025	PT2X	aquistar	MMW116-IN	210
		Pressure(psi)	Temperature(degC)	
	Sensor Range	50 psig	-40 - +125 degC	
	Minimum	4.819	13.8	
	Maximum	5.804	14.2	
	Mean	5.160	13.9	
	Variance	0.0184	0.02	
	Std Deviation	0.1357	0.15	
	Gain	1.000000	1.000000	
	Offset	0.0000	0.00	
Rec#	Date/Time	Pressure(psi)	Temperature(degC)	
1	24-Jun-11 10:46:30	4.819	13.9	
2	24-Jun-11 10:46:31	4.819	13.9	
3	24-Jun-11 10:46:32	4.819	13.9	
4	24-Jun-11 10:46:33	5.804	13.9	
5	24-Jun-11 10:46:34	5.297	13.9	
6	24-Jun-11 10:46:35	5.299	13.9	
7	24-Jun-11 10:46:36	5.311	13.9	
8	24-Jun-11 10:46:37	5.312	13.9	
9	24-Jun-11 10:46:38	5.311	13.9	
10	24-Jun-11 10:46:39	5.311	13.9	
11	24-Jun-11 10:46:40	5.299	14.0	
12	24-Jun-11 10:46:41	5.306	13.9	
13	24-Jun-11 10:46:42	5.304	14.0	
14	24-Jun-11 10:46:43	5.300	14.0	
15	24-Jun-11 10:46:44	5.302	14.0	
16	24-Jun-11 10:46:45	5.302	14.0	
17	24-Jun-11 10:46:46	5.300	14.0	
18	24-Jun-11 10:46:47	5.300	14.0	
19	24-Jun-11 10:46:48	5.300	14.0	
20	24-Jun-11 10:46:49	5.299	14.0	
21	24-Jun-11 10:46:50	5.299	14.0	
22	24-Jun-11 10:46:51	5.297	14.0	
23	24-Jun-11 10:46:52	5.297	14.1	
24	24-Jun-11 10:46:53	5.295	14.0	
25	24-Jun-11 10:46:54	5.295	14.0	
26	24-Jun-11 10:46:55	5.294	14.1	
27	24-Jun-11 10:46:56	5.294	14.1	
28	24-Jun-11 10:46:57	5.294	14.1	
29	24-Jun-11 10:46:58	5.292	14.1	
30	24-Jun-11 10:46:59	5.290	14.1	
31	24-Jun-11 10:47:00	5.290	14.1	
32	24-Jun-11 10:47:01	5.289	14.1	
33	24-Jun-11 10:47:02	5.289	14.1	
34	24-Jun-11 10:47:03	5.289	14.1	
35	24-Jun-11 10:47:04	5.287	14.1	
36	24-Jun-11 10:47:05	5.287	14.1	
37	24-Jun-11 10:47:06	5.285	14.1	
38	24-Jun-11 10:47:07	5.285	14.1	

Sensor SN	Sensor Type	Sensor Name	Session	Records
2549025	PT2X	aquistar	MMW116-IN	210
		Pressure(psi)	Temperature(degC)	
	Sensor Range	50 psig	-40 - +125 degC	
	Minimum	4.819	13.8	
	Maximum	5.804	14.2	
	Mean	5.160	13.9	
	Variance	0.0184	0.02	
	Std Deviation	0.1357	0.15	
	Gain	1.000000	1.000000	
	Offset	0.0000	0.00	
Rec#	Date/Time	Pressure(psi)	Temperature(degC)	
39	24-Jun-11 10:47:08	5.284	14.1	
40	24-Jun-11 10:47:09	5.284	14.1	
41	24-Jun-11 10:47:10	5.282	14.1	
42	24-Jun-11 10:47:11	5.282	14.1	
43	24-Jun-11 10:47:12	5.280	14.1	
44	24-Jun-11 10:47:13	5.280	14.1	
45	24-Jun-11 10:47:14	5.280	14.1	
46	24-Jun-11 10:47:15	5.279	14.1	
47	24-Jun-11 10:47:16	5.279	14.1	
48	24-Jun-11 10:47:17	5.277	14.1	
49	24-Jun-11 10:47:18	5.277	14.1	
50	24-Jun-11 10:47:19	5.275	14.1	
51	24-Jun-11 10:47:20	5.275	14.1	
52	24-Jun-11 10:47:21	5.275	14.1	
53	24-Jun-11 10:47:22	5.275	14.1	
54	24-Jun-11 10:47:23	5.274	14.1	
55	24-Jun-11 10:47:24	5.272	14.1	
56	24-Jun-11 10:47:25	5.272	14.1	
57	24-Jun-11 10:47:26	5.272	14.1	
58	24-Jun-11 10:47:27	5.270	14.1	
59	24-Jun-11 10:47:28	5.270	14.1	
60	24-Jun-11 10:47:29	5.270	14.1	
61	24-Jun-11 10:47:30	5.269	14.1	
62	24-Jun-11 10:47:31	5.269	14.1	
63	24-Jun-11 10:47:32	5.269	14.1	
64	24-Jun-11 10:47:33	5.267	14.1	
65	24-Jun-11 10:47:34	5.267	14.1	
66	24-Jun-11 10:47:35	5.265	14.1	
67	24-Jun-11 10:47:36	5.265	14.1	
68	24-Jun-11 10:47:37	5.257	14.1	
69	24-Jun-11 10:47:38	5.264	14.2	
70	24-Jun-11 10:47:39	5.264	14.1	
71	24-Jun-11 10:47:40	5.262	14.1	
72	24-Jun-11 10:47:41	5.262	14.1	
73	24-Jun-11 10:47:42	5.262	14.2	
74	24-Jun-11 10:47:43	5.262	14.1	
75	24-Jun-11 10:47:44	5.262	14.2	
76	24-Jun-11 10:47:45	5.260	14.2	

Sensor SN	Sensor Type	Sensor Name	Session	Records
2549025	PT2X	aquistar	MMW116-IN	210
		Pressure(psi)	Temperature(degC)	
	Sensor Range	50 psig	-40 - +125 degC	
	Minimum	4.819	13.8	
	Maximum	5.804	14.2	
	Mean	5.160	13.9	
	Variance	0.0184	0.02	
	Std Deviation	0.1357	0.15	
	Gain	1.000000	1.000000	
	Offset	0.0000	0.00	
Rec#	Date/Time	Pressure(psi)	Temperature(degC)	
77	24-Jun-11 10:47:46	5.259	14.2	
78	24-Jun-11 10:47:47	5.259	14.2	
79	24-Jun-11 10:47:48	5.259	14.2	
80	24-Jun-11 10:47:49	5.257	14.2	
81	24-Jun-11 10:47:50	5.257	14.2	
82	24-Jun-11 10:47:51	5.257	14.2	
83	24-Jun-11 10:47:52	5.257	14.2	
84	24-Jun-11 10:47:53	5.255	14.2	
85	24-Jun-11 10:47:54	5.255	14.2	
86	24-Jun-11 10:47:55	5.255	14.2	
87	24-Jun-11 10:47:56	5.254	14.2	
88	24-Jun-11 10:47:57	5.254	14.2	
89	24-Jun-11 10:47:58	5.252	14.2	
90	24-Jun-11 10:47:59	5.252	14.2	
91	24-Jun-11 10:48:00	5.252	14.2	
92	24-Jun-11 10:48:01	5.250	14.2	
93	24-Jun-11 10:48:02	5.250	14.2	
94	24-Jun-11 10:48:03	5.250	14.2	
95	24-Jun-11 10:48:04	5.248	14.2	
96	24-Jun-11 10:48:05	5.248	14.2	
97	24-Jun-11 10:48:06	5.248	14.2	
98	24-Jun-11 10:48:07	5.248	14.2	
99	24-Jun-11 10:48:08	5.247	14.2	
100	24-Jun-11 10:48:09	5.245	14.2	
101	24-Jun-11 10:48:19	5.240	14.0	
102	24-Jun-11 10:48:29	5.235	14.0	
103	24-Jun-11 10:48:39	5.232	13.9	
104	24-Jun-11 10:48:49	5.225	13.9	
105	24-Jun-11 10:48:59	5.220	13.9	
106	24-Jun-11 10:49:09	5.215	13.9	
107	24-Jun-11 10:49:19	5.210	13.9	
108	24-Jun-11 10:49:29	5.205	13.9	
109	24-Jun-11 10:49:39	5.200	13.9	
110	24-Jun-11 10:49:49	5.197	13.9	
111	24-Jun-11 10:49:59	5.192	13.8	
112	24-Jun-11 10:50:09	5.186	13.9	
113	24-Jun-11 10:50:19	5.181	13.9	
114	24-Jun-11 10:50:29	5.178	13.8	

Sensor SN	Sensor Type	Sensor Name	Session	Records
2549025	PT2X	aquistar	MMW116-IN	210
		Pressure(psi)	Temperature(degC)	
	Sensor Range	50 psig	-40 - +125 degC	
	Minimum	4.819	13.8	
	Maximum	5.804	14.2	
	Mean	5.160	13.9	
	Variance	0.0184	0.02	
	Std Deviation	0.1357	0.15	
	Gain	1.000000	1.000000	
	Offset	0.0000	0.00	
Rec#	Date/Time	Pressure(psi)	Temperature(degC)	
115	24-Jun-11 10:50:39	5.173	13.8	
116	24-Jun-11 10:50:49	5.170	13.8	
117	24-Jun-11 10:50:59	5.166	13.8	
118	24-Jun-11 10:51:09	5.161	13.8	
119	24-Jun-11 10:51:19	5.158	13.8	
120	24-Jun-11 10:51:29	5.155	13.8	
121	24-Jun-11 10:51:39	5.150	13.8	
122	24-Jun-11 10:51:49	5.146	13.8	
123	24-Jun-11 10:51:59	5.143	13.8	
124	24-Jun-11 10:52:09	5.140	13.8	
125	24-Jun-11 10:52:19	5.136	13.8	
126	24-Jun-11 10:52:29	5.133	13.8	
127	24-Jun-11 10:52:39	5.129	13.8	
128	24-Jun-11 10:52:49	5.124	13.8	
129	24-Jun-11 10:52:59	5.121	13.8	
130	24-Jun-11 10:53:09	5.118	13.8	
131	24-Jun-11 10:53:19	5.116	13.8	
132	24-Jun-11 10:53:29	5.113	13.8	
133	24-Jun-11 10:53:39	5.108	13.8	
134	24-Jun-11 10:53:49	5.106	13.8	
135	24-Jun-11 10:53:59	5.103	13.8	
136	24-Jun-11 10:54:09	5.099	13.8	
137	24-Jun-11 10:54:19	5.098	13.8	
138	24-Jun-11 10:54:29	5.094	13.8	
139	24-Jun-11 10:54:39	5.091	13.8	
140	24-Jun-11 10:54:49	5.088	13.8	
141	24-Jun-11 10:54:59	5.086	13.8	
142	24-Jun-11 10:55:09	5.083	13.8	
143	24-Jun-11 10:55:19	5.081	13.8	
144	24-Jun-11 10:55:29	5.076	13.8	
145	24-Jun-11 10:55:39	5.074	13.8	
146	24-Jun-11 10:55:49	5.071	13.8	
147	24-Jun-11 10:55:59	5.069	13.8	
148	24-Jun-11 10:56:09	5.066	13.8	
149	24-Jun-11 10:56:19	5.064	13.8	
150	24-Jun-11 10:56:29	5.061	13.8	
151	24-Jun-11 10:56:39	5.059	13.8	
152	24-Jun-11 10:56:49	5.057	13.8	



Sensor SN	Sensor Type	Sensor Name	Session	Records
2549025	PT2X	aquistar	MMW116-IN	210
		Pressure(psi)	Temperature(degC)	
	Sensor Range	50 psig	-40 - +125 degC	
	Minimum	4.819	13.8	
	Maximum	5.804	14.2	
	Mean	5.160	13.9	
	Variance	0.0184	0.02	
	Std Deviation	0.1357	0.15	
	Gain	1.000000	1.000000	
	Offset	0.0000	0.00	
Rec#	Date/Time	Pressure(psi)	Temperature(degC)	
153	24-Jun-11 10:56:59	5.056	13.8	
154	24-Jun-11 10:57:09	5.052	13.8	
155	24-Jun-11 10:57:19	5.051	13.8	
156	24-Jun-11 10:57:29	5.049	13.8	
157	24-Jun-11 10:57:39	5.046	13.8	
158	24-Jun-11 10:57:49	5.044	13.8	
159	24-Jun-11 10:57:59	5.041	13.8	
160	24-Jun-11 10:58:09	5.041	13.8	
161	24-Jun-11 10:58:19	5.037	13.8	
162	24-Jun-11 10:58:29	5.036	13.8	
163	24-Jun-11 10:58:39	5.032	13.8	
164	24-Jun-11 10:58:49	5.031	13.8	
165	24-Jun-11 10:58:59	5.031	13.8	
166	24-Jun-11 10:59:09	5.022	13.9	
167	24-Jun-11 10:59:19	5.026	13.8	
168	24-Jun-11 10:59:29	5.024	13.8	
169	24-Jun-11 10:59:39	5.020	13.8	
170	24-Jun-11 10:59:49	5.019	13.8	
171	24-Jun-11 10:59:59	5.017	13.8	
172	24-Jun-11 11:00:09	5.015	13.8	
173	24-Jun-11 11:00:19	5.015	13.9	
174	24-Jun-11 11:00:29	5.012	13.8	
175	24-Jun-11 11:00:39	5.009	13.9	
176	24-Jun-11 11:00:49	5.009	13.8	
177	24-Jun-11 11:00:59	4.985	13.9	
178	24-Jun-11 11:01:09	5.005	13.9	
179	24-Jun-11 11:01:19	5.004	13.8	
180	24-Jun-11 11:01:29	5.004	13.8	
181	24-Jun-11 11:01:39	5.000	13.8	
182	24-Jun-11 11:01:49	4.999	13.8	
183	24-Jun-11 11:01:59	4.997	13.8	
184	24-Jun-11 11:02:09	4.995	13.8	
185	24-Jun-11 11:02:19	4.994	13.8	
186	24-Jun-11 11:02:29	4.992	13.8	
187	24-Jun-11 11:02:39	4.990	13.8	
188	24-Jun-11 11:02:49	4.982	13.9	
189	24-Jun-11 11:02:59	4.989	13.8	
190	24-Jun-11 11:03:09	4.987	13.8	



Sensor SN	Sensor Type	Sensor Name	Session	Records
2549025	PT2X	aquistar	MMW116-IN	210
		Pressure(psi)	Temperature(degC)	
	Sensor Range	50 psig	-40 - +125 degC	
	Minimum	4.819	13.8	
	Maximum	5.804	14.2	
	Mean	5.160	13.9	
	Variance	0.0184	0.02	
	Std Deviation	0.1357	0.15	
	Gain	1.000000	1.000000	
	Offset	0.0000	0.00	
Rec#	Date/Time	Pressure(psi)	Temperature(degC)	
191	24-Jun-11 11:03:19	4.987	13.8	
192	24-Jun-11 11:03:29	4.984	13.8	
193	24-Jun-11 11:03:39	4.982	13.8	
194	24-Jun-11 11:03:49	4.980	13.8	
195	24-Jun-11 11:03:59	4.979	13.8	
196	24-Jun-11 11:04:09	4.979	13.8	
197	24-Jun-11 11:04:19	4.977	13.8	
198	24-Jun-11 11:04:29	4.977	13.8	
199	24-Jun-11 11:04:39	4.974	13.8	
200	24-Jun-11 11:04:49	4.974	13.8	
201	24-Jun-11 11:05:49	4.963	13.9	
202	24-Jun-11 11:06:49	4.958	13.8	
203	24-Jun-11 11:07:49	4.953	13.8	
204	24-Jun-11 11:08:49	4.947	13.8	
205	24-Jun-11 11:09:49	4.942	13.8	
206	24-Jun-11 11:10:49	4.937	13.8	
207	24-Jun-11 11:11:49	4.932	13.8	
208	24-Jun-11 11:12:49	4.928	13.8	
209	24-Jun-11 11:13:49	4.923	13.8	
210	24-Jun-11 11:14:49	4.920	13.8	

Sensor SN	Sensor Type	Sensor Name	Session	Records
2549025	PT2X	aquistar	MMW16-OUT	119
		Pressure(psi)	Temperature(degC)	
	Sensor Range	50 psig	-40 - +125 degC	
	Minimum	4.083	13.8	
	Maximum	4.911	14.2	
	Mean	4.476	14.0	
	Variance	0.0077	0.01	
	Std Deviation	0.0875	0.11	
	Gain	1.000000	1.000000	
	Offset	0.0000	0.00	
Rec#	Date/Time	Pressure(psi)	Temperature(degC)	
1	24-Jun-11 11:17:11	4.911	13.8	
2	24-Jun-11 11:17:12	4.911	13.8	
3	24-Jun-11 11:17:13	4.891	13.9	
4	24-Jun-11 11:17:14	4.083	13.9	
5	24-Jun-11 11:17:15	4.330	13.9	
6	24-Jun-11 11:17:16	4.338	13.9	
7	24-Jun-11 11:17:17	4.385	13.9	
8	24-Jun-11 11:17:18	4.410	13.9	
9	24-Jun-11 11:17:19	4.415	13.9	
10	24-Jun-11 11:17:20	4.417	13.9	
11	24-Jun-11 11:17:21	4.420	13.9	
12	24-Jun-11 11:17:22	4.420	13.9	
13	24-Jun-11 11:17:23	4.418	13.9	
14	24-Jun-11 11:17:24	4.420	13.9	
15	24-Jun-11 11:17:25	4.423	13.9	
16	24-Jun-11 11:17:26	4.427	13.9	
17	24-Jun-11 11:17:27	4.429	13.9	
18	24-Jun-11 11:17:28	4.430	14.0	
19	24-Jun-11 11:17:29	4.430	14.0	
20	24-Jun-11 11:17:30	4.432	14.0	
21	24-Jun-11 11:17:31	4.434	13.9	
22	24-Jun-11 11:17:32	4.435	14.0	
23	24-Jun-11 11:17:33	4.435	14.0	
24	24-Jun-11 11:17:34	4.435	14.0	
25	24-Jun-11 11:17:35	4.437	14.0	
26	24-Jun-11 11:17:36	4.439	14.0	
27	24-Jun-11 11:17:37	4.439	14.0	
28	24-Jun-11 11:17:38	4.440	14.0	
29	24-Jun-11 11:17:39	4.439	14.0	
30	24-Jun-11 11:17:40	4.442	14.0	
31	24-Jun-11 11:17:41	4.442	14.0	
32	24-Jun-11 11:17:42	4.444	14.0	
33	24-Jun-11 11:17:43	4.444	14.0	
34	24-Jun-11 11:17:44	4.445	14.0	
35	24-Jun-11 11:17:45	4.445	14.1	
36	24-Jun-11 11:17:46	4.447	14.1	
37	24-Jun-11 11:17:47	4.449	14.1	
38	24-Jun-11 11:17:48	4.449	14.1	

Sensor SN	Sensor Type	Sensor Name	Session	Records
2549025	PT2X	aquistar	MMW16-OUT	119
		Pressure(psi)	Temperature(degC)	
	Sensor Range	50 psig	-40 - +125 degC	
	Minimum	4.083	13.8	
	Maximum	4.911	14.2	
	Mean	4.476	14.0	
	Variance	0.0077	0.01	
	Std Deviation	0.0875	0.11	
	Gain	1.000000	1.000000	
	Offset	0.0000	0.00	
Rec#	Date/Time	Pressure(psi)	Temperature(degC)	
39	24-Jun-11 11:17:49	4.449	14.1	
40	24-Jun-11 11:17:50	4.450	14.1	
41	24-Jun-11 11:17:51	4.452	14.1	
42	24-Jun-11 11:17:52	4.452	14.1	
43	24-Jun-11 11:17:53	4.452	14.1	
44	24-Jun-11 11:17:54	4.454	14.1	
45	24-Jun-11 11:17:55	4.454	14.1	
46	24-Jun-11 11:17:56	4.455	14.1	
47	24-Jun-11 11:17:57	4.455	14.1	
48	24-Jun-11 11:17:58	4.457	14.1	
49	24-Jun-11 11:17:59	4.457	14.1	
50	24-Jun-11 11:18:00	4.457	14.1	
51	24-Jun-11 11:18:01	4.457	14.1	
52	24-Jun-11 11:18:02	4.459	14.1	
53	24-Jun-11 11:18:03	4.460	14.1	
54	24-Jun-11 11:18:04	4.460	14.1	
55	24-Jun-11 11:18:05	4.460	14.1	
56	24-Jun-11 11:18:06	4.462	14.1	
57	24-Jun-11 11:18:07	4.462	14.1	
58	24-Jun-11 11:18:08	4.464	14.1	
59	24-Jun-11 11:18:09	4.464	14.1	
60	24-Jun-11 11:18:10	4.465	14.1	
61	24-Jun-11 11:18:11	4.465	14.1	
62	24-Jun-11 11:18:12	4.467	14.1	
63	24-Jun-11 11:18:13	4.467	14.1	
64	24-Jun-11 11:18:14	4.467	14.1	
65	24-Jun-11 11:18:15	4.467	14.1	
66	24-Jun-11 11:18:16	4.469	14.1	
67	24-Jun-11 11:18:17	4.469	14.1	
68	24-Jun-11 11:18:18	4.470	14.1	
69	24-Jun-11 11:18:19	4.470	14.1	
70	24-Jun-11 11:18:20	4.470	14.1	
71	24-Jun-11 11:18:21	4.472	14.1	
72	24-Jun-11 11:18:22	4.472	14.1	
73	24-Jun-11 11:18:23	4.472	14.1	
74	24-Jun-11 11:18:24	4.474	14.1	
75	24-Jun-11 11:18:25	4.474	14.1	
76	24-Jun-11 11:18:26	4.475	14.1	

Sensor SN	Sensor Type	Sensor Name	Session	Records
2549025	PT2X	aquistar	MMW16-OUT	119
		Pressure(psi)	Temperature(degC)	
	Sensor Range	50 psig	-40 - +125 degC	
	Minimum	4.083	13.8	
	Maximum	4.911	14.2	
	Mean	4.476	14.0	
	Variance	0.0077	0.01	
	Std Deviation	0.0875	0.11	
	Gain	1.000000	1.000000	
	Offset	0.0000	0.00	
Rec#	Date/Time	Pressure(psi)	Temperature(degC)	
77	24-Jun-11 11:18:27	4.475	14.1	
78	24-Jun-11 11:18:28	4.477	14.1	
79	24-Jun-11 11:18:29	4.477	14.1	
80	24-Jun-11 11:18:30	4.477	14.1	
81	24-Jun-11 11:18:31	4.479	14.1	
82	24-Jun-11 11:18:32	4.479	14.1	
83	24-Jun-11 11:18:33	4.479	14.1	
84	24-Jun-11 11:18:34	4.480	14.1	
85	24-Jun-11 11:18:35	4.477	14.1	
86	24-Jun-11 11:18:36	4.480	14.1	
87	24-Jun-11 11:18:37	4.482	14.2	
88	24-Jun-11 11:18:38	4.482	14.1	
89	24-Jun-11 11:18:39	4.482	14.1	
90	24-Jun-11 11:18:40	4.484	14.1	
91	24-Jun-11 11:18:41	4.484	14.1	
92	24-Jun-11 11:18:42	4.484	14.1	
93	24-Jun-11 11:18:43	4.485	14.1	
94	24-Jun-11 11:18:44	4.485	14.2	
95	24-Jun-11 11:18:45	4.487	14.2	
96	24-Jun-11 11:18:46	4.487	14.2	
97	24-Jun-11 11:18:47	4.489	14.1	
98	24-Jun-11 11:18:48	4.489	14.1	
99	24-Jun-11 11:18:49	4.489	14.1	
100	24-Jun-11 11:18:50	4.491	14.2	
101	24-Jun-11 11:19:00	4.496	14.1	
102	24-Jun-11 11:19:10	4.501	14.0	
103	24-Jun-11 11:19:20	4.506	13.9	
104	24-Jun-11 11:19:30	4.511	13.9	
105	24-Jun-11 11:19:40	4.516	13.9	
106	24-Jun-11 11:19:50	4.522	13.9	
107	24-Jun-11 11:20:00	4.526	13.9	
108	24-Jun-11 11:20:10	4.526	13.9	
109	24-Jun-11 11:20:20	4.533	13.9	
110	24-Jun-11 11:20:30	4.536	13.8	
111	24-Jun-11 11:20:40	4.546	13.8	
112	24-Jun-11 11:20:50	4.549	13.8	
113	24-Jun-11 11:21:00	4.554	13.8	
114	24-Jun-11 11:21:10	4.558	13.8	

Sensor SN	Sensor Type	Sensor Name	Session	Records
2549025	PT2X	aquistar	MMW16-OUT	119
		Pressure(psi)	Temperature(degC)	
	Sensor Range	50 psig	-40 - +125 degC	
	Minimum	4.083	13.8	
	Maximum	4.911	14.2	
	Mean	4.476	14.0	
	Variance	0.0077	0.01	
	Std Deviation	0.0875	0.11	
	Gain	1.000000	1.000000	
	Offset	0.0000	0.00	
Rec#	Date/Time	Pressure(psi)	Temperature(degC)	
115	24-Jun-11 11:21:20	4.563	13.8	
116	24-Jun-11 11:21:30	4.568	13.8	
117	24-Jun-11 11:21:40	4.571	13.8	
118	24-Jun-11 11:21:50	4.574	13.8	
119	24-Jun-11 11:22:00	4.579	13.8	